Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1967



Full Table of Content

67/S/SB/A/10 Saxmundham - Rotation 2

Rothamsted Research

Rothamsted Research (1968) 67/S/SB/A/10 Saxmundham - Rotation 2; Yields Of The Field Experiments 1967, pp 37 - 38 - DOI: https://doi.org/10.23637/ERADOC-1-157

67/A/10.1

SAXMUNDHAM

ROTATION II 1967

(SB)

- For history, treatments, rotations, etc. see Rothamsted Report for 1964, pp. 228 232 and 'Results' 66/A/11. For previous years' results see 'Results' 64/A/11, 65/A/11, 66/A/11.
- Four strips, alternately of sugar beet and white turnips, were crossdrilled on each of the two blocks of the experiment. The plots were manured as in 1966.
- Basal manuring: 1.2 cwt N, 2.0 cwt K20 as 'Nitro-Chalk' and muriate of potash.
- Area of each sub-plot: 0.0136. Area harvested: Sugar beet and turnips 0.0045.
- Cultivations, etc.: FYM applied: Sept 27, 1966. First half dressings of triple superphosphate applied: Sept 21. Ploughed: Sept 29 Oct 27. Second half dressing of triple superphosphate and basal NK applied: Mar 8, 1967. Seed drilled (both crops): Mar 30. Sugar beet: Dusted against flea-beetle: May 13. Singled:

 May 15 30. Sprayed with demeton-s-methyl: June 12 and July 7. Lifted: Sept 28. Variety: Klein E.

 Turnips: Singled: May 1 10. Harvested: July 11. Variety: Green.

67/A/10.2

SUMMARY OF RESULTS

Plot	Treatment 1966 and 67	Roots (washed)	Sugar b	Total sugar	Tops	Turnips Roots
1 2 3 4 5 6 7 8	PO PO PO D DP1 P1 P2 PO	8.30 13.50 16.88 19.55 19.51 18.35 18.61 17.44	15.7 17.6 17.6 17.2 17.3 17.3 17.3	26.2 47.5 59.4 67.2 67.3 63.4 64.4 60.1	5.32 4.73 4.95 6.48 6.56 6.51 5.83 5.90	2.22 5.00 6.84 7.71 8.13 7.92 7.88 7.25
Mean	200 300	16.52	17.2	56.9	5.79	6.62