

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



## 68/C/7 Park Grass Microplots - Plots 5/1 and 5/2

### Rothamsted Research

Rothamsted Research (1970) *68/C/7 Park Grass Microplots - Plots 5/1 and 5/2* ; Numerical Results Of The Field Experiments 1968, pp 155 - 163 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/C/7.1

PARK GRASS MICROPLOTS

(EPG 81 - 160)

Plots 5/1 and 5/2, 1968, the fourth year

For details of treatments etc., and for previous years' results see 'Results' 65/C/22, 66/C/13 and 67/C/9.

Treatments K1P2 and K6P2 were applied in 1965 only. In each season these plots received N at current rates.

Area of each plot: 0.0045. Area harvested: 0.0021.

Cultivations, etc.: Ground chalk applied to plot 5/1 at 5490 lb and to plot 5/2 at 4930 lb: 28 Dec, 1967. P and K applied: 19 Jan, 1968. 'Nitro-Chalk' applied: 18 Mar. Cut 3 times: 29 May, 22 July, 7 Oct. 'Nitro-Chalk' applied after first 2 cuts.

Standard errors per plot. Dry matter:

Plot 5/1.	1st cut:	2.75 or 19.0% (11 d.f.)
	2nd cut:	3.51 or 21.1% (11 d.f.)
	3rd cut:	1.69 or 7.5% (11 d.f.)
	Total of 3 cuts:	6.12 or 11.4% (11 d.f.)
Plot 5/2.	1st cut:	2.16 or 6.8% (11 d.f.)
	2nd cut:	2.24 or 10.3% (11 d.f.)
	3rd cut:	2.06 or 7.6% (11 d.f.)
	Total of 3 cuts:	2.83 or 3.5% (11 d.f.)

68/C/7.2

SUMMARY OF RESULTS

PLOT 5/1: DRY MATTER

1ST CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 0.97$ )	7.2	17.0	20.7	19.6	16.1
		( $\pm 1.94$ )			( $\pm 0.97$ )
K0	4.5	12.3	15.0	9.9	10.4
K2	10.3	21.4	24.0	22.0	19.4
K4	7.3	20.1	22.9	22.7	18.2
K8	6.7	14.2	20.8	23.8	16.4
		( $\pm 1.38$ )			( $\pm 0.69$ )
N1	8.2	14.3	15.6	16.2	13.6
N2	6.2	19.7	25.8	23.0	18.7
	K0	K2	K4	K8	
N1	11.6	16.2	13.5	13.0	
N2	9.3	22.6	23.0	19.7	

K1 and K6 plots

	K1P2*	K6P2*	Mean
		( $\pm 1.94$ )	( $\pm 1.38$ )
N1	7.6	9.2	8.4
N2	7.2	7.7	7.5
Mean ( $\pm 1.38$ )	7.4	8.5	8.0

\* Applied 1965

General mean: 14.5  
 Mean D.M. %: 22.5

68/C/7.3

PLOT 5/1: DRY MATTER

2ND CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 1.24$ )	18.4	17.0	18.5	18.3	18.0
			( $\pm 2.48$ )		( $\pm 1.24$ )
K0	11.4	16.2	11.5	15.9	13.8
K2	19.4	18.1	20.4	16.5	18.6
K4	22.1	18.8	21.6	19.7	20.6
K8	20.6	15.0	20.5	21.1	19.3
			( $\pm 1.76$ )		( $\pm 0.88$ )
N1	18.0	14.5	17.1	16.5	16.5
N2	18.8	19.6	19.9	20.2	19.6
	K0	K2	K4	K8	

			( $\pm 1.76$ )		
N1	13.8	16.5	18.8	16.9	
N2	13.7	20.7	22.4	21.7	

K1 and K6 plots

	K1P2*	K6P2*	Mean
			( $\pm 1.76$ )
N1	11.9	11.1	11.5
N2	10.2	11.2	10.7
Mean ( $\pm 1.76$ )	11.1	11.1	11.1

\* Applied 1965

General mean: 16.6  
Mean D.M. %: 22.7

68/C/7.4

PLOT 5/1: DRY MATTER

3RD CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 0.60$ )	20.0	23.4	24.5	24.5	23.1
		( $\pm 1.20$ )			( $\pm 0.60$ )
K0	20.6	21.8	22.5	21.1	21.5
K2	19.6	24.3	24.7	24.1	23.2
K4	19.0	23.9	24.8	27.6	23.8
K8	21.0	23.6	26.1	25.1	23.9
		( $\pm 0.84$ )			( $\pm 0.42$ )
N1	17.8	22.7	24.0	23.8	22.1
N2	22.3	24.1	25.0	25.2	24.1
	K0	K2	K4	K8	
		( $\pm 0.84$ )			
N1	20.5	22.3	22.4	23.0	
N2	22.5	24.0	25.2	24.9	
	K1 and K6 plots				
	K1P2*	K6P2*	Mean		
		( $\pm 1.20$ )	( $\pm 0.84$ )		
N1	20.1	18.6	19.4		
N2	20.9	21.3	21.1		
Mean ( $\pm 0.84$ )	20.5	20.0	20.2		

\* Applied 1965

General mean: 22.5

Mean D.M. %: 20.4

68/c/7.5

PLOT 5/1: DRY MATTER

TOTAL OF 3 CUTS

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 2.16$ )	45.6	57.4	63.7	62.4	57.3
		( $\pm 4.33$ )			( $\pm 2.16$ )
K0	36.5	50.4	49.0	46.9	45.7
K2	49.3	63.8	69.1	62.5	61.2
K4	48.4	62.8	69.4	70.0	62.6
K8	48.3	52.7	67.4	70.0	59.6
		( $\pm 3.06$ )			( $\pm 1.53$ )
N1	43.9	51.4	56.7	56.4	52.1
N2	47.3	63.4	70.7	68.3	62.4

	K0	K2	K4	K8	
		( $\pm 3.06$ )			
N1	45.9	55.0	54.7	52.9	
N2	45.5	67.3	70.6	66.3	

K1 and K6 plots

	K1P2*	K6P2*	Mean
	( $\pm 4.33$ )		( $\pm 3.06$ )
N1	39.6	38.9	39.3
N2	38.4	40.2	39.3
Mean ( $\pm 3.06$ )	39.0	39.6	39.3

\* Applied 1965

General mean: 53.7

Mean D.M. %: 21.9

68/c/7.6

PLOT 5/2: DRY MATTER

1ST CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 0.76$ )	31.9	32.7	32.6	30.8	32.0
		( $\pm 1.53$ )			( $\pm 0.76$ )
K0	26.6	29.7	31.2	31.9	29.8
K2	34.2	34.5	34.6	32.1	33.8
K4	31.3	32.9	33.8	31.8	32.5
K8	35.6	33.8	30.6	27.4	31.9
		( $\pm 1.08$ )			( $\pm 0.54$ )
N1	22.4	22.0	22.8	18.1	21.3
N2	41.4	43.5	42.3	43.5	42.7

	K0	K2	K4	K8
		( $\pm 1.08$ )		
N1	19.7	22.2	22.5	20.9
N2	40.0	45.5	42.4	42.8

K1 and K6 plots

	K1P2*	K6P2*	Mean
		( $\pm 1.53$ )	( $\pm 1.08$ )
N1	22.6	22.7	22.7
N2	39.4	40.7	40.1
Mean ( $\pm 1.08$ )	31.0	31.7	31.4

\* Applied 1965

General mean: 31.9  
Mean D.M. %: 20.6

68/c/7.7

PLOT 5/2: DRY MATTER

2ND CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 0.79$ )	22.0	20.8	21.4	20.5	21.2
		( $\pm 1.58$ )			( $\pm 0.79$ )
K0	22.1	21.8	21.9	20.1	21.5
K2	21.1	19.1	23.0	22.1	21.3
K4	21.9	21.1	20.8	20.5	21.1
K8	23.1	21.4	20.1	19.4	21.0
		( $\pm 1.12$ )			( $\pm 0.56$ )
N1	20.7	18.4	19.7	17.1	19.0
N2	23.4	23.3	23.2	24.0	23.5

	K0	K2	K4	K8
		( $\pm 1.12$ )		
N1	18.9	19.6	18.9	18.5
N2	24.0	23.1	23.2	23.5

K1 and K6 plots

	K1P2*	K6P2*	Mean
	( $\pm 1.58$ )		( $\pm 1.12$ )
N1	19.3	21.8	20.5
N2	26.4	29.0	27.7
Mean ( $\pm 1.12$ )	22.8	25.4	24.1

\* Applied 1965

General mean: 21.8  
 Mean D.M. %: 22.9



68/c/7.8

PLOT 5/2: DRY MATTER

3RD CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 0.73$ )	26.4	27.5	27.3	26.7	27.0
		( $\pm 1.46$ )			( $\pm 0.73$ )
K0	25.2	26.9	26.2	28.3	26.6
K2	26.3	27.3	26.1	27.4	26.8
K4	25.5	29.4	30.0	24.5	27.4
K8	28.8	26.4	26.9	26.5	27.1
		( $\pm 1.03$ )			( $\pm 0.52$ )
N1	25.0	25.5	24.5	22.5	24.4
N2	27.8	29.6	30.0	30.9	29.6
	K0	K2	K4	K8	
		( $\pm 1.03$ )			
N1	23.6	23.9	25.7	24.3	
N2	29.7	29.7	29.0	30.0	
	K1 and K6 plots				
	K1P2*	K6P2*	Mean		
		( $\pm 1.46$ )	( $\pm 1.03$ )		
N1	24.8	23.9	24.3		
N2	30.7	31.5	31.1		
Mean ( $\pm 1.03$ )	27.8	27.7	27.7		

\* Applied 1965

General mean: 27.1

Mean D.M. %: 19.3

68/C/7.9

PLOT 5/2: DRY MATTER

TOTAL OF 3 CUTS

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean ( $\pm 1.00$ )	80.4	81.1	81.3	78.0	80.2
		( $\pm 2.00$ )			( $\pm 1.00$ )
K0	73.9	78.4	79.3	80.3	78.0
K2	81.6	80.9	83.8	81.6	82.0
K4	78.8	83.5	84.6	76.8	80.9
K8	87.4	81.6	77.5	73.3	80.0
		( $\pm 1.42$ )			( $\pm 0.71$ )
N1	68.2	65.9	67.0	57.7	64.7
N2	92.6	96.3	95.6	98.4	95.7
	K0	K2	K4	K8	

N1	62.3	65.6	67.1	63.7
N2	93.6	98.3	94.7	96.2

K1 and K6 plots

	K1P2*	K6P2*	Mean
	( $\pm 2.00$ )		( $\pm 1.42$ )
N1	66.7	68.4	67.5
N2	96.6	101.2	98.9
Mean ( $\pm 1.42$ )	81.6	84.8	83.2

\* Applied 1965

General mean: 80.8

Mean D.M. %: 20.9