Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Numerical Results of the Field Experiments 1968



Full Table of Content

68/C/23 Effects of Formalin and Nitrogen - Grass

Rothamsted Research

Rothamsted Research (1970) 68/C/23 Effects of Formalin and Nitrogen - Grass; Numerical Results Of The Field Experiments 1968, pp 205 - 206 - DOI: https://doi.org/10.23637/ERADOC-1-58

68/c/19.2

SUMMARY OF RESULTS

SERIES I

1966	MP	MP	PD	PD	Mean
1967	MP	PD	PD	MP	
1968	MP	MP	PD	PD	
		TOTAL T	UBERS		
	(±0.596)				(±0.298)
C	13.95	12.36	5.38	8.10	9•95
	13.41	12.03	4.68	8.65	9•69
O	12.60	10.22	2.53	4.70	7.51
F	14.76	14.16	7.54	12.05	12.13
Mean (±0.422)	13.68	12.19	5.03	8.37	9.82
		% WA	RE		
O C	93.7	95.6	74.3	84.2	86.9
	92.1	95.1	75.5	85.8	87.1
O	9 1. 8	94.7	63.0	75.7	81.3
F	94.0	95.9	86.8	94.2	92.7
Mean	92.9	95.3	74.9	85.0	87.0

Varieties MP = Maris Piper (resistant) PD = Pentland Dell (susceptible)

68/c/19.1

IRRIGATION AND EELWORM

(WCE)

Butt Close Woburn, the third year - potatoes, 1968

Effects on yield and cyst nematode of soil fumigant and irrigation and of sequences of resistant and susceptible varieties of potatoes.

For details of treatments etc. and previous years' results see 'Results' 66/C/32 and 67/C/25. Irrigation and fumigant treatments are cumulative.

Area of each sub plot: 0.0114. Area harvested: 0.0068.

Irrigation (C) 1968 (inches water)

Series		I		Series IV		
21	June	0.50	21	June	0.50	
5	July	0.50	4	July	0.50	
	July	0.75	1	Aug	0.50	
Tro	ntal	2.25	ELAW C		1.50	,

Basal applications: 9 cwt (13:13:20). Weedkiller: Linuron at 0.5 lb plus paraquat 0.37 lb in 50 gals. Fungicide: Mancozeb at 1.2 lb in 38 gals, on three occasions. Magnesian limestone at 22.5 cwt.

Cultivations, etc.: Subsoiled (Series I): 25 Sept, 1967, (Series IV): 23 Sept. Ploughed: 25 Sept. DD injected at 400 lb: 24 Oct. Magnesian limestone applied: 8 Nov. Fertiliser applied: 18 Mar, 1968. Rotary cultivated, potatoes planted (Series I): 1 Apr, (Series IV): 4 Apr. Weedkiller applied: 2 May. Ridged, Maris Piper: 31 May, Pentland Dell: 13 June. Fungicide applied: 12 July, 18 July, 30 July. Sprayed with undiluted BOV at 15 gals: 2 Aug. Lifted: 1 Oct.

NOTE: Soil samples were taken from each plot after fumigation and before cropping. Cyst and egg counts were made.

Standard errors per plot, (pooled). Total tubers: Series I: 1.460 or 14.9% (30 d.f.) Series IV: 1.604 or 13.8% (30 d.f.)