

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



## 68/C/28 Rates of Placement of N for Beans

### Rothamsted Research

Rothamsted Research (1970) *68/C/28 Rates of Placement of N for Beans* ; Numerical Results Of The Field Experiments 1968, pp 233 - 234 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/c/28.1

RATES AND PLACEMENT OF N FOR BEANS

(CJ)

Rates and placement of N for beans followed by wheat, Long Hoos III 1968, the second year, winter wheat.

Design: 3 randomised blocks of 9 plots, split into 3.

Area of each sub plot: 0.0020. Area harvested: 0.0020.

Treatments:

Whole plots: Treatments to spring beans 1967:

1. Method of application of N: Broadcast as 'Nitro-Chalk' with PK placed as compound (0:20:20) (B), 1 cwt N placed in compound (25:10:10), remainder broadcast as 'Nitro-Chalk' (P).
2. Levels of N: 1 (R1), 2 (R2), 3 (R3) cwt N.

Also 3 plots per block with no N (0).

Sub plots: N to winter wheat 1968:-

3. None (N0), 0.5 (N1), 1.0 (N2) cwt N as 'Nitro-Chalk'.

Basal applications: 340 lb (0:14:28) combine drilled. Weedkiller: Paraquat at 1 lb ion in 32 gals. Ioxynil at 9 oz and mecoprop at 27 oz in 20 gals.

Cultivations, etc.: Paraquat applied: 21 Sept, 1967. Rotary cultivated: 22 Nov. Seed drilled at 180 lb: 23 Nov. 'Nitro-Chalk' applied: 18 Apr, 1968. Ioxynil and mecoprop applied: 26 Apr. Combine harvested: 24 Aug. Variety: Cappelle.

NOTE: For previous years' results see 'Results' 67/c/36.

Standard errors per plot, Grain:

Whole plot: 1.70 or 4.9% (16 d.f.)  
Sub plot: 3.19 or 9.2% (36 d.f.)

68/c/28.2

SUMMARY OF RESULTS

	GRAIN					Mean
	B	P	NO	N1	N2	
1967	(±0.98)		(±1.30)			(±0.69)
R1	35.1	34.9	26.2	39.5	39.2	35.0
R2	35.7	35.4	29.2	39.7	37.7	35.5
R3	37.4	35.1	29.8	40.9	38.1	36.2
			(1) and (2)			(±0.57)
		D	22.6	36.5	38.6	32.6
		B	30.4	39.8	37.9	36.0
		P	26.4	40.3	38.7	35.1
Mean (±0.61)			26.5	38.9	38.4	34.6*

(1) (±1.04) For use in vertical and diagonal comparisons only

(2) (±1.06) For use in horizontal and interaction comparisons only

\* General mean

Mean D.M. %: 83.4

NOTE: The R N table is meaned over B and P only.