

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/C/39 Saxmundham Intensive Wheat

Rothamsted Research

Rothamsted Research (1970) *68/C/39 Saxmundham Intensive Wheat* ; Numerical Results Of The Field Experiments 1968, pp 275 - 276 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/c/39.1

INTENSIVE WHEAT

(SC)

Saxmundham, Oldershaw's and Garner's plots 1968, the third year.
For treatments etc. and for previous years' results see
'Results' 66/C/30 and 67/C/23.

Area of each sub plot: 0.0182. Area harvested: 0.0098.

Basal applications: 560 lb (0:20:20) broadcast. Weedkillers:
To wheat: Mecoprop at 36 oz and 2,4-D at 9 oz in 32 gals.
To beans: Simazine at 1 lb in 33 gals.

Cultivations, etc.: Ploughed: 2 - 9 Sept, 1967. Basal PK compound
applied: 15 Sept.

Wheat: Seed drilled: 10 Oct, 1967. 'Nitro-Chalk' applied:
28 Mar, 1968. Weedkiller applied: 18 Apr. Combine
harvested: 14 Aug. Variety: Cappelle.

Grass ley: 'Nitro-Chalk' applied: 19 Mar, 1968. Seed drilled:
28 Mar. Cut twice: 11 June and 6 Sept. 'Nitro-Chalk'
and muriate of potash applied: 12 June. Variety: S22 Italian.

Beans: Seed drilled: 8 March, 1968. Weedkiller applied:
21 Mar. Combine harvested: 9 Sept. Variety: Maris Bead.

NOTES: (1) Yields were taken for winter wheat only.
(2) Estimates of the incidence of take-all (*Ophiobolus graminis*)
and eyespot (*Cercospora herpotrichoides*) were made.

Standard errors per plot. Grain:
Whole plot: 1.35 or 3.4% (6 d.f.)
Sub plot: 2.38 or 5.9% (18 d.f.)

68/c/39.2

SUMMARY OF RESULTS

WINTER WHEAT

Crop in 66	67	N1	N2	N3	Mean
GRAIN					
(1) and (2)					
					(±0.68)
W	W	34.1	40.1	34.1	36.1
L	W	38.9	45.5	38.8	41.1
W	Be	46.3	44.1	40.0	43.5
Mean (±0.69)		39.8	43.2	37.7	40.2

Mean D.M. %: 80.9

- (1) (±1.18) For use in vertical and diagonal comparisons only
 (2) (±1.19) For use in horizontal and interaction comparisons only

		STRAW			
W	W	26.9	31.0	26.9	28.3
L	W	35.5	34.1	31.7	33.8
W	Be	39.9	29.9	41.1	37.0
Mean		34.1	31.7	33.2	33.0

Mean D.M. %: 75.6