

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/DA/2 Cultivations and Bulb Fly - W. Wheat

Rothamsted Research

Rothamsted Research (1970) *68/DA/2 Cultivations and Bulb Fly - W. Wheat* ; Numerical Results Of The Field Experiments 1968, pp 293 - 294 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/Da/2.1

WINTER WHEAT

(FW 101)

Cultivations and bulb fly (*Leptohylemyia coarctata*) - Stackyard 1968.

Design: 4 randomised blocks of 3 plots.

Area of each plot: 0.0362. Area harvested: 0.0129.

Treatments: Tine cultivation, no ploughing (C), normal ploughing (P), scraped and ploughed (SP). All plots received a shallow rotary cultivation before drilling.

NOTE: The SP treatment was done by a special plough; the top 1-2 inches of soil were scraped into the open furrow just ahead of the plough.

Basal applications: 280 lb (6:15:15) combined drilled. 0.84 cwt N as 'Nitro-Chalk'. Ground chalk at 50 cwt. Weedkillers: Diquat (Reglone at 4 pints in 30 gals), paraquat at 0.75 lb ion in 32 gals, ioxynil/mecoprop (Actril C at 6 pints in 20 gals). Seed dressing: Organo-mercury fungicide only.

Cultivations, etc.: Rotary cultivated: 5 June, 1967. Diquat applied: 29 Aug. Paraquat applied: 3 Oct. Ground chalk applied: 7 Oct. P treatment ploughed, SP treatment scraped and ploughed: 11 Oct. C treatment deep-tine cultivated: 13 Oct. All plots rotary cultivated and spring-tine cultivated, seed drilled at 180lb: 21 Feb, 1968. 'Nitro-Chalk' applied: 11 Apr. Ioxynil/mecoprop applied: 15 May. Combine harvested: 8 Sept. Variety: Cappelle. Previous crops: Winter wheat 1966, fallow 1967.

NOTE: Samples were taken for wheat bulb fly eggs in February 1968.

Standard error per plot.

Grain: 2.46 or 9.4% (6 d.f.)

68/Da/2.2

SUMMARY OF RESULTS

GRAIN			
C	P	SP	Mean
25.9	24.9 (±1.23)	28.0	26.2

Mean D.M. %: 79.5