Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Numerical Results of the Field Experiments 1968



Full Table of Content

## 68/DA/6 Varieties and N - W. Wheat

#### **Rothamsted Research**

Rothamsted Research (1970) *68/DA/6 Varieties and N - W. Wheat ;* Numerical Results Of The Field Experiments 1968, pp 301 - 302 **- DOI: https://doi.org/10.23637/ERADOC-1-58** 

68/Da/6.1

#### WINTER WHEAT

(RW 501)

Varieties and N - Claycroft 1968.

Design: 4 randomised blocks of 5 plots, split into 3.

Area of each sub plot: 0.0121. Area harvested: 0.0064.

Treatments: All combinations of:Whole plots: 1. Varieties: Cappelle (CA), Champlein (CH),
Joss Cambier (JC), Maris Ranger (MR),
Maris Widgeon (MW).

Sub plots: 2. N: 0.6 (N2), 0.9 (N3), 1.2 (N4) cwt as 'Nitro-Chalk' in spring (in addition to basal).

Basal applications: 340 lb (6:15:15) combine drilled.

Cultivations, etc.: Ploughed: 13 Sept, 1967. Seed drilled at 180 lb: 24 Oct. 'Nitro-Chalk' applied: 18 Apr, 1968. Combine harvested: 27 Aug. Previous crops: Barley 1966 and 1967.

Standard errors per plot.

Grain: Whole plot: 1.27 or 3.4% (12 d.f.)

Sub plot: 1.81 or 4.9% (30 d.f.)

68/Da/6.2

#### SUMMARY OF RESULTS

### GRAIN

	CA	CH	JC	MR	MW	Mean
	1420	0,0 them	(1) and (2)	ingo,o	treig dua :	(±0.41)
N2	38.6	44.3	39.0	39.0	37.1	39.6
N3	35.7	40.7	37.1	39.8	31.4	36.9
N4	31.9	37.4	34.1	37.0	30.8	34.3
Mean (±0.63)	35.4	40.8	36.8	38.6	33.1	36.9

<sup>(1)</sup>  $(\pm 0.97)$  For use in horizontal and diagonal comparisons only. (2)  $(\pm 0.91)$  For use in vertical and interaction comparisons only.

Mean D.M. %: 80.9