

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/DA/10 Anhydrous Ammonia As a Fertiliser - S. Wheat

Rothamsted Research

Rothamsted Research (1970) *68/DA/10 Anhydrous Ammonia As a Fertiliser - S. Wheat* ; Numerical Results Of The Field Experiments 1968, pp 309 - 310 - **DOI:**

<https://doi.org/10.23637/ERADOC-1-58>

68/Da/10.1

SPRING WHEAT

(RW 801)

Anhydrous ammonia as a fertiliser - Little Hoos 1968.

Design: 4 randomised blocks of 8 plots.

Area of each plot: 0.0321. Area harvested: 0.0210.

Treatments: All combinations of:-

1. Forms of N: Broadcast 'Nitro-Chalk' (B), injected anhydrous ammonia (I).
2. Levels of N: 0.5 (N1), 1.0 (N2), 1.5 (N3) cwt N together with no nitrogen - without (NO), with (NOI), the injector running idle through the soil.

Basal applications: 280 lb (0:14:28) combine drilled. Weedkillers: Paraquat at 0.5 lb ion in 32 gals in winter. Mecoprop/2,4-D (Methoxone Extra at 6 pints in 32 gals).

Cultivations, etc.: Ploughed: 5 - 18 Sept, 1967. Paraquat applied: 4 Dec. Ammonia and 'Nitro-Chalk' applied, seed drilled at 185 lb: 7 Mar, 1968. Mecoprop/2,4-D applied: 17 May. Combine harvested: 5 Sept. Variety: Kloka. Previous crops: Potatoes 1966, spring wheat 1967.

Standard error per plot.

Grain: 1.28 or 4.7% (15 d.f.)

68/Da/10.2

SUMMARY OF RESULTS

GRAIN (WE)

	N1	N2	N3	Mean
		(±0.64)		(±0.37)
B	28.9	27.9	25.6	27.5
I	27.4	28.1	25.8	27.1
Mean (±0.45)	28.2	28.0	25.7	27.3

NO	NOI
18.5	19.3
	(±0.64)

General mean: 25.2

Mean D.M. %: 78.9