

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/DC/3 B-nine* and Nitrogen - S. Beans

Rothamsted Research

Rothamsted Research (1970) *68/DC/3 B-nine* and Nitrogen - S. Beans* ; Numerical Results Of The Field Experiments 1968, pp 327 - 328 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/Dc/3.1

SPRING BEANS

(MC)

B-Nine* and nitrogen, Summerdells II 1968.

* Dimethylamino-succinamic acid, a dwarfing compound, formerly known as DSA.

Design: 2 randomised blocks of 18 plots.

Area of each plot: 0.0022. Area harvested: 0.0005.

Treatments: All combinations of:-

1. B-Nine: Unsprayed (O), sprayed on 3 occasions with B-Nine at 4 lb in 56 gals (S).
2. Nitrogen: None (NO), 1.5 (N1), 3.0 (N2) cwt N as 'Nitro-Chalk'.
3. Time of application of N: All in seedbed (E), all in late May (L), half in seedbed, half in late May (EL).

Basal applications: 360 lb (0:14:28) placement drilled. Weedkiller: Simazine at 1 lb in 33 gals.

Cultivations, etc.: Ploughed: 26 Sept, 1967. Seed drilled at 200 lb: 6 Mar, 1968. Weedkiller applied: 8 Mar. 'Nitro-Chalk' applied to E and EL plots: 12 Mar. S plots sprayed with B-Nine: 14 May. 'Nitro-Chalk' applied to EL and L plots: 27 May. S plots sprayed with B-Nine: 7 June and 3 July. Harvested by hand: 9 Sept. Variety: Tarvin. Previous crops: Fallow 1966, winter wheat 1967.

NOTE: Observations were made of stem height, number of stems and of pods. 1000 grain weights and percentage N in the grain were determined.

Standard error per plot.

Grain: 3.19 or 11.4% (17 d.f.)

68/Dc/3.2

SUMMARY OF RESULTS

		GRAIN						
		NO	N1	N2	E	L	EL	Mean
			(±1.30)			(±1.59)		(±0.75)
O		24.6	29.0	29.2	30.1	29.6	27.5	27.6
S		27.2	29.9	28.5	28.1	30.9	28.7	28.5
						(±1.59)		(±0.92)
			N1		29.6	31.4	27.5	29.5
			N2		28.6	29.1	28.8	28.8
			Mean (±1.13)		29.1	30.3	28.1	28.1

Mean D.M. %: 72.9

NOTE: The (E L EL) (OS) table is meaned over N1 and N2 only. The means for O and S are meaned over NO, N1 and N2.