

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



69/W/RN/14 - Long Term Phosphate - Barley & Potatoes

Rothamsted Research

Rothamsted Research (1970) *69/W/RN/14 - Long Term Phosphate - Barley & Potatoes* ; Numerical Results Of The Field Experiments 1969, pp 118 - 120 - **DOI:**

<https://doi.org/10.23637/ERADOC-1-96>

LONG TERM PHOSPHATE

(69/w/RN/14)

Residual and cumulative effects of superphosphate -
Woburn Stackyard III 1969, 2nd year.

For design, treatments, etc., and for previous year's results
see 'Results' 68/B/8. In 1969 residual effects only
were measured.

Area of each sub-plot: 0.0167. Area harvested: Barley: 0.0111.
Potatoes: 0.0111.

Basal applications:

Potatoes: 2.0 cwt N as 'Nitro-Chalk' and 1.5 cwt K20
as sulphate of potash in spring. Weedkiller:
Paraquat at 0.37 lb ion plus linuron at 0.5 lb
in 25 gals. Fungicide: Mancozeb at 1.2 lb in
37 gals applied on 2 occasions. Insecticide:
Demeton-s-methyl at 3.5 oz applied once with
fungicide.

Barley: 17 cwt ground chalk, 1.2 cwt N as 'Nitro-Chalk',
and 0.5 cwt K20 as muriate of potash. Weedkiller:
Ioxynil octanoate, bromoxynil octanoate, iso-octyl-
ester of dichlorprop ('Oxytril P' at 1 pint in 25
gals).

Cultivations, etc.: Both crops, ploughed: 25 Nov, 1968.

Potatoes: 'Nitro-Chalk', sulphate of potash applied: 10 Apr,
1969. Rotary cultivated, potatoes planted: 18 Apr.
Weedkiller applied: 15 May. Rotary ridged: 16 June.
Fungicide and insecticide applied together: 18 July.
Fungicide applied: 7 Aug, 27 Aug. Sprayed with
undiluted BOV at 16 gals: 25 Sept. Lifted: 20 Oct.
Variety: Majestic.

Barley: Ground chalk applied: 21 Oct, 1968. 'Nitro-Chalk',
muriate of potash applied: 25 Mar, 1969. Seed drilled
at 140 lb: 29 Mar. Weedkiller applied: 22 May.
Combine harvested: 25 Aug. Variety: Maris Badger.

Standard errors per plot.

Potatoes, Total Tubers, tons:	Whole plot: 1.591 or 10.6% (10 d.f.)
	Sub plot: 1.434 or 9.5% (18 d.f.)
Barley, Grain, cwt:	Whole plot: 1.64 or 5.5% (10 d.f.)
	Sub plot: 2.44 or 8.1% (18 d.f.)

SUMMARY OF RESULTS

BARLEY

R0	R1	R2	R4	R6	Mean
GRAIN:CWT					
(±0.67)		(±0.95)			
27.8	29.9	30.2	32.5	32.5	30.1
STRAW:CWT					
23.1	24.8	26.4	31.1	26.9	25.9

Mean D.M.%: Grain: 82.5
 Straw: 85.3

POTATOES

R0	R1	R2	R4	R6	Mean
TOTAL TUBERS:TONS					
(±0.649)		(±0.918)			
14.16	15.14	15.70	15.89	15.14	15.03
% WARE					
96.9	97.0	96.1	96.5	95.0	96.4