

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



69/R/CS/18 - Lucerne Virus Control - Lucerne & Lucerne/COCKSFOOT

Rothamsted Research

Rothamsted Research (1970) *69/R/CS/18 - Lucerne Virus Control - Lucerne & Lucerne/COCKSFOOT* ; Numerical Results Of The Field Experiments 1969, pp 164 - 165 - DOI:

<https://doi.org/10.23637/ERADOC-1-96>

LUCERNE

(69/R/CS/18)

Virus control - Long Hoos VI 1969, the fourth year. For design, treatments etc. and for previous years' results see 'Results' 66/C/26, 67/C/20 and 68/C/15.

Area of each plot: 0.0661. Area harvested: 0.0046.

Only one cut was taken in 1969, the last year of the experiment, and no insecticide treatment was applied. No fertilisers other than basal PK were applied.

Cultivations, etc.: Basal PK compound applied: 13 Nov, 1968.
N applied: 3 Mar, 1969. Cut once: 5 June.

NOTE: Aphid counts were made once in spring.

Standard error per plot. Dry matter:
1st and only cut: 2.26 or 7.2% (6 d.f.)

SUMMARY OF RESULTS
1ST AND ONLY CUT: DRY MATTER

	RESIDUAL		Mean
	O	S	
	(±1.13)		(±0.80)
L	22.9	25.6	24.2
M	37.9	39.6	38.7
Mean (±0.80)	30.4	32.6	31.5

Mean D.M.%: 20.7