

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



69/W/CS/20 - Placement of Fumigant - Potatoes

Rothamsted Research

Rothamsted Research (1970) *69/W/CS/20 - Placement of Fumigant - Potatoes* ; Numerical Results Of The Field Experiments 1969, pp 166 - 167 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

PLACEMENT OF FUMIGANT FOR POTATOES

(69/W/CS/20)

Economic row fumigation for control of potato cyst-nematode - Woburn Butt Furlong 1969 third year.

For treatments etc., see 'Results' 68/C/27 and for previous years' results see 'Results' 67/C/34 and 68/C/27. In 1969 the treatments were repeated exactly as in 1968.

Area of each plot 0.0024. Area harvested: 0.0024.

Basal applications: 10 cwt (13:13:20). Weedkiller: Paraquat at 0.37 lb ion plus linuron 0.5 lb in 25 gals. Fungicide: Mancozeb at 1.2 lb in 37 gals on three occasions. Insecticide: Demeton-s-methyl at 3.5 oz in 37 gals on one occasion with fungicide.

Cultivations, etc.: Ploughed: 14 Oct, 1968. Basal NPK applied, rotary cultivated, ridged: 1 Apr, 1969. DD applied, reridged: 2 Apr. Potatoes planted: 5 May. Weedkiller applied: 16 May. Fungicide applied: 18 July, 7 Aug, 27 Aug. Insecticide applied: 18 July. Lifted: 18 Sept. Variety: Majestic.

NOTE: Soil samples were taken in April before DD was applied and again in May for cyst counts.

Standard error per plot.

Total tubers, tons: 1.068 or 12.0% (8 d.f.)

SUMMARY OF RESULTS

DC	D1	D2	D4	D8	Mean
TOTAL TUBERS: TONS					
(±0.617)					
6.98	7.25	7.87	10.25	12.16	8.90
% WARE					
64.7	64.3	70.7	74.2	75.3	69.8