

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



### 69/W/CS/29 - Forms of Magnesium - Potatoes

#### Rothamsted Research

Rothamsted Research (1970) *69/W/CS/29 - Forms of Magnesium - Potatoes* ; Numerical Results Of The Field Experiments 1969, pp 203 - 204 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

FORMS OF MAGNESIUM

(69/W/CS/29)

Effect of forms of magnesium fertiliser on potatoes - Woburn Stackyard C, 2nd year.

For details of treatments etc. and previous year's results see 'Results' 68/C/35. Mg and limestone treatments are cumulative.

Area of each plot: 0.0067. Area harvested: 0.0030.

Basal applications: 1120 lb (13:13:20). Weedkiller: Linuron at 0.5 lb plus paraquat at 0.37 lb in 25 gals. Fungicide: Mancozeb at 1.2 lb in 37 gals, on three occasions. Insecticide: Demeton-s-methyl at 3.5 oz applied once with fungicide.

Cultivations, etc.: Ploughed: 7 Feb, 1969. Mg and limestone treatments applied: 5 Mar. NPK applied: 11 Apr. Rotary cultivated, potatoes planted: 17 Apr. Weedkiller applied: 15 May. Rotary ridged: 16 June. Fungicide plus insecticide applied: 18 July. Fungicide applied: 6 Aug, 26 Aug. Lifted: 23 Sept. Variety: King Edward.

Standard error per plot.

Total tubers, tons: 1.310 or 11.8% (21 d.f.)

SUMMARY OF RESULTS

O	D2	E	C1	C2	DL	I2	EL	Mean
TOTAL TUBERS: TONS								
(±0.655)								
9.73	11.84	10.51	10.17	10.36	12.50	11.25	12.08	11.06
% WARE								
76.1	79.8	74.8	77.8	75.0	80.1	80.9	80.0	78.1