

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



### 69/R/B/5 - Paths & Blank Rows - Barley

#### Rothamsted Research

Rothamsted Research (1970) *69/R/B/5 - Paths & Blank Rows - Barley* ; Numerical Results Of The Field Experiments 1969, pp 267 - 268 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

BARLEY

(69/R/B/5)

Effects of paths and blank rows - Pastures 1969.

Design: 4 randomised blocks of 8 plots, randomisation restricted.

Area of each plot: 0.0161. Area harvested: 0.0107.

Treatments: All combinations of:-

- |  |      |
|--|------|
| 1. Blank rows: None, 16 middle rows harvested  | (R0) |
| 2 blank rows: 3 (1) 16 (1) 3 sown              | (R1) |
| 4 blank rows: 2 (2) 16 (2) 2 sown              | (R2) |
| 6 blank rows: 1 (3) 16 (3) 1 sown              | (R3) |
| 2. N: 0.5 (N1), 1.0 (N2) cwt as 'Nitro-Chalk'. |      |

Plots were of 24 row-spaces each, 16 being harvested. (1) etc. indicate number and position of blank (unsown) rows.

Basal applications: 280 lb (0:20:20) combine drilled. Weedkillers: Paraquat at 0.5 lb ion in 25 gals, 2,4-D at 8 oz and dichlorprop at 32 oz in 20 gals.

Cultivations, etc.: Paraquat applied: 11 Oct, 1968. Ploughed: 13 Nov. Seed drilled at 140 lb per sown acre: 28 Mar, 1969. 'Nitro-Chalk' applied: 10 Apr. 2,4-D/dichlorprop applied: 13 May. Combine harvested: 14 Aug. Variety: Zephyr. Previous crops: Potatoes 1967, barley 1968.

Standard error per plot.

Grain, cwt: 1.19 or 2.6% (21 d.f.)

SUMMARY OF RESULTS

GRAIN:CWT

	R0	R1	R2	R3	Mean
	(±0.59)				(±0.30)
N1	45.3	47.6	48.7	50.2	48.0
N2	41.6	45.2	46.7	47.6	45.3
Mean (±0.42)	43.5	46.4	47.7	48.9	46.6

Mean D.M.%: 82.9