

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



### 69/S/B/1 - Varieties, N & Ethirimol - Barley

#### Rothamsted Research

Rothamsted Research (1970) *69/S/B/1 - Varieties, N & Ethirimol - Barley* ; Numerical Results Of The Field Experiments 1969, pp 269 - 271 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

BARLEY  
(69/S/B/1)

Varieties, N and ethirimol ('Milstem' or 'PP 149'), Saxmundham, Grove Plot 1969.

Design: Two randomised blocks of 10 plots, split into 2 for fungicidal seed dressing.

Area of each sub-plot: 0.0041. Area harvested: 0.0012.

Treatments: None (2 plots per block, one for each variety split as above) and all combinations of:-

- Whole plots: 1. Variety: Deba Abed (DA), Maris Badger (MB).  
2. Levels of N: 0.6 (N1), 1.2 (N2) cwt as 'Nitro-Chalk'.  
3. Times of application of N: In the seedbed (E), as a top-dressing in May (L).  
Sub-plots: 4. Ethirimol as a seed-dressing: None (O), seed dressed (P).

Basal applications: 5 cwt (0:20:20) broadcast. Weedkiller: Ioxynil at 6 oz and mecoprop at 18 oz in 40 gals.

Cultivations, etc.: Ploughed: 28 Oct, 1968. Basal PK and 'Nitro-Chalk' applied, seed drilled: 9 Apr, 1969. 'Nitro-Chalk' top-dressing applied, weedkiller applied: 14 May. Harvested: 18 Aug. Previous crops: Sugar beet 1967 and 1968.

Standard errors per plot.

Grain, cwt: Whole plot: 2.53 or 7.5% (7 d.f.)  
Sub-plot: 1.76 or 5.2% (8 d.f.)

SUMMARY OF RESULTS

GRAIN:CWT

	E	L	DA	MB	O	P	Mean
	(±1.26)		(±1.26)		(1) and (2)		(±0.89)
N1	29.6	37.0	34.2	32.4	31.6	34.9	33.3
N2	35.0	33.8	39.8	28.9	35.0	33.8	34.4
			(±1.26)		(1) and (2)		(±0.89)
		E	33.7	30.9	31.9	32.7	32.3
		L	40.3	30.4	34.7	36.0	35.4
					(1) and (2)		(±0.89)
				DA	35.7	38.4	37.0
				MB	30.9	30.3	30.6
Mean (±0.44)					33.3	34.4	33.8

NO Plots

DA O 19.9  
 DA P 18.7  
 MB O 15.5  
 MB P 17.8

Mean D.M.%: 80.3

STRAW:CWT

	E	L	DA	MB	O	P	Mean
N1	32.9	42.7	33.8	41.9	36.0	39.6	37.8
N2	44.9	50.7	44.0	51.6	46.4	49.2	47.8
		E	34.7	43.1	37.0	40.8	38.9
		L	43.1	50.3	45.3	48.1	46.7
				DA	37.7	40.1	38.9
				MB	44.7	48.7	46.7
Mean					41.2	44.4	42.8

NO Plots

DA O 17.8  
 DA P 15.6  
 MB O 16.5  
 MB P 19.6

Mean D.M.%: 53.9