

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



### 69/W/P/4 - Chemicals & Scab - Potatoes

#### Rothamsted Research

Rothamsted Research (1970) *69/W/P/4 - Chemicals & Scab - Potatoes* ; Numerical Results Of The Field Experiments 1969, pp 309 - 310 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

POTATOES

(69/W/P/4)

Chemicals and scab - Woburn Gt Hill Bottom I, 1969.

Design: 5 blocks of 6 plots.

Area of each plot: 0.0043. Area harvested: 0.0021.

Treatments:

Chemicals: None (O), 'N-Serve' to sulphate of ammonia 2.9 lb, 2% of the N (N), folpet 70 lb a.i. as 20% dust (F), quintozene 70 lb a.i. as 20% dust (Q), thiram 70 lb a.i. as 15% dust (T), zineb 70 lb a.i. as 15% dust (Z).

Basal applications: 8.5 cwt (0:14:28), 6 cwt sulphate of ammonia. Weedkiller: Paraquat at 0.37 lb ion plus linuron at 0.5 lb in 25 gals. Fungicide: Mancozeb at 1.2 lb in 37 gals on 3 occasions. Insecticide: Demeton-s-methyl at 3.5 oz in 37 gals on one occasion.

Cultivations, etc.: Ploughed: 3 - 30 Jan, 1969. PK Broadcast: 14 Apr. N applied, treatments applied, rotary ridged, potatoes planted: 18 Apr. Weedkiller applied: 15 May. Rotary ridged: 17 June. Fungicide applied: 19 July, 7 Aug, 27 Aug. Insecticide applied: 19 July. Sprayed with undiluted BOV at 16 gals: 25 Sept. Lifted: 3 Oct. Variety: Maris Piper. Previous crops: Green manures 1967, sugar beet, barley 1968.

NOTE: Soil samples were taken for residues of quintozene.

Standard error per plot.

Total tubers, tons: 1.393 or 7.4% (20 d.f.)

SUMMARY OF RESULTS

O	N	F	Q	T	Z	Mean
TOTAL TUBERS: TONS						
(±0.623)						
18.73	16.60	19.85	19.32	19.81	19.39	18.95
% WARE						
97.0	95.2	96.8	97.3	96.9	97.3	96.8