

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



### 69/R/P/8 - Growth Regulators - Potatoes

#### Rothamsted Research

Rothamsted Research (1970) *69/R/P/8 - Growth Regulators - Potatoes* ; Numerical Results Of The Field Experiments 1969, pp 317 - 318 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

POTATOES

(69/R/P/8)

Growth regulators, Great Knott III 1969.

Design: 4 randomised blocks of 7 plots.

Area of each plot: 0.0214. Area harvested: 0.0027.

Treatments: Growth regulators (in lb active ingredient in 40 gals):-

None		(O)
B-nine	2.0	(B)
Chlormequat	2.0	(C)
Ethrel	0.3	(E1)
Ethrel	1.0	(E2)
Morphactin	0.05	(M1)
Morphactin	0.01	(M2)

(Note rate M2 was less than rate M1)

Basal applications: 10.5 cwt (13:13:20). Weedkiller: Paraquat at 0.375 lb ion plus linuron at 0.75 lb in 37 gals. Fungicide: Mancozeb at 1.2 lb in 37 gals on 3 occasions. Insecticide: Demeton-s-methyl at 3.5 oz applied with first mancozeb spray.

Cultivations, etc.: Rotary cultivated twice: 13-23 Sept, 1968 and 21 Oct. Ploughed: 30 Dec-22 Jan, 1969. Basal NPK applied: 10 Apr. All plots rotary cultivated, potatoes machine planted: 18 Apr. Weedkiller applied: 13 May. Grubbed: 19 June. Growth regulators applied: 25 June. Earthed up: 27 June. Insecticide applied: 16 July. Fungicide applied: 16 July, 4 Aug, 21 Aug. Sprayed with undiluted BOV at 15 gals: 26 Sept. Haulm destroyed mechanically: 2 Oct. Lifted: 8 Oct. Variety: King Edward. Previous crops: Barley 1967, spring beans 1968.

NOTE: From July 17, 6 plants were taken from each plot every 3 weeks, for estimates of tuber number and size, leaf area and dry weights.

Standard error per plot.

Total tubers, tons: 1.217 or 7.7% (18 d.f.)

SUMMARY OF RESULTS

O	B	C	E1	E2	M1	M2	Mean
TOTAL TUBERS: TONS							
(±0.608)							
17.01	17.09	17.10	15.08	14.39	14.96	14.99	15.80
% WARE							
93.5	89.3	93.7	90.3	83.5	92.7	93.5	90.9