

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



69/R/0/1 - Growth Regulators & N - Oats

Rothamsted Research

Rothamsted Research (1970) *69/R/0/1 - Growth Regulators & N - Oats* ; Numerical Results Of The Field Experiments 1969, pp 319 - 320 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

WINTER OATS

(69/R/O/1)

Growth regulators X N, Fosters O and E VI 1969.

Design: 3 randomised blocks of 15 plots.

Area of each plot: 0.0036. Area harvested: 0.0019.

Treatments: All combinations of:-

1. Growth regulators: None (0), ethrel at 1.2 lb (E1), at 2.4 lb (E2), morphactin at 0.005 lb (M1), at 0.05 lb (M2). Each spray was applied in 30 gals.
2. Nitrogen: 0.5 (N1), 1.0 (N2), 1.5 (N3) cwt as 'Nitro-Chalk' top-dressed in spring.

Basal applications: 300 lb (0:20:20) broadcast by drill at sowing. Weedkillers: Paraquat at 0.5 lb ion in 25 gals. Mecoprop at 42 oz and 2,4-D at 10.5 oz in 30 gals.

Cultivations, etc.: Paraquat applied: 18 Oct, 1968.
Ploughed: 22 Oct. Rotary cultivated, seed drilled at 300 lb: 23 Oct. 'Nitro-Chalk' applied: 29 Apr, 1969. Mecoprop/2,4-D applied: 12 May. Growth regulators applied: 14 May. Combine harvested: 21 Aug. Variety: Maris Quest. Previous crops: Potatoes 1967, barley and oats 1968.

NOTE: Samples were taken at harvest for components of yield.

Standard error per plot.

Grain, cwt: 3.92 or 7.4% (27 d.f.)

SUMMARY OF RESULTS

GRAIN: CWT

	0	E1	E2	M1	M2	Mean
			(±2.26)			(±1.01)
N1	52.1	55.8	54.7	57.3	56.2	55.2
N2	53.1	56.3	51.4	55.2	56.6	54.5
N3	50.4	52.9	49.1	50.4	45.2	49.6
Mean (±1.31)	51.9	55.0	51.7	54.3	52.7	53.1

Mean D.M. %: 82.1