

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



---

## Contents

### Rothamsted Research

Rothamsted Research (1970) *Contents ; Numerical Results Of The Field Experiments 1969*, pp 2 - 5 -  
DOI: <https://doi.org/10.23637/ERADOC-1-96>

CONTENTS 1969

CLASSICAL EXPERIMENTS			PAGE
Broadbalk	Wheat, potatoes & beans	R/BK/1	8
Hoosfield	Barley, potatoes & beans	R/HB/2	14
Wheat and fallow	Wheat	R/WF/3	20
Exhaustion Land	Barley	R/EX/4	21
Park Grass	Grass	R/PG/5	22
Agdell	Grass	R/AG/6	24
Barnfield	Potatoes, sugar beet & beans	R/BN/7	27
Garden Clover	Clover	R/GC/8	36
Rotation 1	Wheat, beans, sugar beet & barley	S/RN/1	38
Rotation 2	Potatoes, sugar beet & barley	S/RN/2	42
ROTATION EXPERIMENTS			
Ley and arable rotations	Old grass, leys, oats, wheat, potatoes & barley	R/RN/1&2	47
Ley and arable rotations	Leys, potatoes, rye, carrots & barley	W/RN/3	67
Market Garden Experiment	Beans	W/RN/4	75
Arable Reference Plots	Old grass, barley, ley, potatoes, wheat & kale	R/RN/5	78
Arable Reference Plots	Old grass, fruit, sugar beet, barley, ley, potatoes & oats	W/RN/6	82
Residual phosphate rotation	Potatoes, barley & swedes	R/RN/7	86
Cultivation weedkiller rotation	Beans, wheat, potatoes & barley	R/RN/8	89
Cereal disease reference plots	Beans, oats & wheat	R/RN/9	96
Irrigation	Barley & potatoes	R/RN/11	98
Organic manuring	Leys & sugar beet	W/RN/12	101
Intensive cereals	Ley, potatoes, wheat & barley	W/RN/13	106
Long term phosphate	Barley & potatoes	W/RN/14	118
Rotation & fumigation	Potatoes, sugar beet & barley	W/RN/15	121
CROP SEQUENCE EXPERIMENTS			
CROPS IN 1969			
Levels of N & K	Potatoes	R/CS/1	126
Grazed Reference Plots	Old grass	R/CS/2	129
Wheat after intensive barley	Wheat	R/CS/6	131
Forestry Reference Plots	Sitka spruce	W/CS/8	133
Forestry Forms of Fertiliser	Sitka spruce & grand fir	W/CS/9	135

CONTENTS 1969 (CONTD.)

CROP SEQUENCE EXPERIMENTS (continued)		PAGE
Long term liming	Fallow	R&W/CS/10 137
Soil structure	Beans	W/CS/11 138
Formalin & N (2 sites)	Winter wheat	R/CS/12 140
N levels to old grass	Old grass (Park Grass Plot 6 Microplots)	R/CS/13 143
NPK to old grass	Old grass (Park Grass Plot 5 Microplots)	R/CS/14 145
Direct seeding	Winter wheat	W/CS/15 154
Irrigation & eelworms	Potatoes	W/CS/16 156
Cereal cyst nematode	Barley	W/CS/17 160
Lucerne virus control	Lucerne & lucerne/ cocksfoot	R/CS/18 164
Placement of fumigant	Potatoes	W/CS/20 166
Nematicides (Ploughsole DD)	Barley	W/CS/21 168
Soil sterilants	Winter wheat	R/CS/22 170
Simulated grazing	Old grass	R/CS/23 172
P, K & Take-all	Barley	R/CS/24 186
Insecticides & molluscicides	Old grass	R/CS/25 188
N fixation	Lucerne & ryegrass	R&W/CS/27&31 190
Fumigants & irrigation	Barley	W/CS/28 201
Forms of magnesium	Potatoes	W/CS/29 203
IBDU	Ryegrass	W/CS/32 205
Rates of nematicides dosage	Potatoes	W/CS/33 207
Cultivations & soil invertebrates	Grass	R/CS/41 209
Effect of invertebrates on yield	Grass	R/CS/42 211
Aqua ammonia	Grass	R/CS/43 214
Break crops & wheat	Cereals & legumes	R/CS/44 218
Nematicides in rows	Sugar beet	W/CS/45 220
Thiourea	Spring wheat	R/CS/47 224
Intensive wheat	Beans & wheat	S/CS/1 226
Phosphate & potash	Lucerne	S/CS/2 228
Rates, forms and times of N	Grass	S/CS/3 231
P and K residues	Spring wheat after clover	S/CS/4 233

ANNUAL EXPERIMENTS

WINTER WHEAT

Varieties & N	R&W/W/1	235
Deep-drilled fertiliser	R&W/W/2	238
Cultivations & bulb fly	R/W/4	243
Gaines, seed rates & N	R/W/5	245
CCC treated seed & N	R/W/6	247
Chemical control of Take-all	R/W/10	249



CONTENTS 1969 (CONTD.)

ANNUAL EXPERIMENTS

		PAGE
SPRING WHEAT		
Gaps	R/W/11	251
Varieties, N & ethirimol	R/W/12	253
Paths & blank rows	R/W/13	255
BARLEY		
Varieties, N & ethirimol	R&W/B/1	257
Deep-drilled fertiliser	R&W/B/2	260
Deep-drilled urea & 'Nitro-Chalk'	R&W/B/3	263
Early & late mildew	R/B/4	265
Paths & blank rows	R/B/5	267
Varieties, N & ethirimol	S/B/1	269
IBDU	S/B/2	272
BEANS		
B-Nine, N, row spacing and seed rate	R/BE/1	274
Fumigation & N	W/BE/1	276
Growth regulators	R/BE/2	278
Insecticide & Sitona	W/BE/2	280
Rhizobium strains	R&W/BE/3	282
Deep-drilled fertiliser	R&W/BE/4	284
Aphids	R/BE/5	287
SPRING OILSEED RAPE		
Seed rates, row spacing, N & CCC	R/RA/2	289
Insecticides & beneficial insects	R/RA/3	293
POTATOES		
Seed stocks, diseases & fungicide	R&W/P/1	295
Chemicals & seed-borne fungi	R/P/2	301
Nematodes & verticillium	W/P/2	304
Verticillium, varieties & CCC	W/P/3	306
Chemicals & scab	W/P/4	309
Blight reference plots	R/P/6	311
Deeply injected fertiliser	W/P/6	313
Comparison of fungicides	R/P/7	315
Growth regulators	R/P/8	317

CONTENTS 1969 (CONTD.)

ANNUAL EXPERIMENTS (continued)

		PAGE
	OATS	
Growth regulators & N	R/O/1	319
	GRASS	
Anhydrous & aqueous ammonia	R/G/1	321
	SWEET CORN	
Seed spacing, phorate & N	G/SC/1	324
	MIXED CROP	
Inocula & N - beans and spring wheat	R&W/M/2	327
	MISCELLANEOUS DATA	
Meteorological records	Rothamsted, Woburn & Saxmundham E/1	333

R = Rothamsted, W = Woburn, S = Saxmundham

Errata to Results 68/De/4.1. Delete last line of NOTE and add:-

'burning off and prior to lifting, counts were made of stem and plant number.

Standard errors per plot. Total tubers:

Whole plot: 0.376 or 2.1% (5 d.f.)

Sub plot: 1.012 or 5.7% (30 d.f.)'