

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



---

## Conventions

### Rothamsted Research

Rothamsted Research (1970) *Conventions* ; Numerical Results Of The Field Experiments 1969, pp 6 - 7 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

## NUMERICAL RESULTS OF THE FIELD EXPERIMENTS, 1969

In this report the following conventions are observed unless otherwise stated.

All areas are in acres.

All seed rates, rates of application of fertilisers, sprays etc. are per acre.

All yields and plant numbers are per acre.

The following conventions are used in variate headings:

Wheat, barley, oats, rye, beans etc.	
Grain:	Grain (at 85% dry matter)
Straw:	Straw (at 85% dry matter)
Potatoes	
% ware:	Percentage ware (1.5 inch riddle)
Sugar beet	
Roots:	Roots (washed)
Sugar %:	Sugar percentage
Oilseed rape	
Grain:	Grain (at 90% dry matter)
% fixed oil:	Percentage fixed oil
All crops	
Mean D.M. %:	Mean dry matter % as harvested

For any other crop, details of abbreviations are given as necessary.

The following abbreviated forms of reference are used:

'Results'	(Numerical) Results of the Field Experiments, with year of harvest given.
'Details'	Details of the Classical and Long Term Experiments up to 1967.

Compound fertilisers indicated thus - (20:10:10) = compound fertiliser (20% N, 10% P<sub>2</sub>O<sub>5</sub>, 10% K<sub>2</sub>O), granular unless otherwise stated.

Treatment symbols are used in all summaries of results, and for annual experiments the key is given with the treatment descriptions.

For the classical and long term experiments the full description of the treatments is given in the 'Details': where necessary the key to the symbols is given in the 1968 'Results'.

For crop sequence experiments in progress in 1969 the key is given in the first year of the experiment with modifications as they arise.