

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



69/R/RNO - Cultivation Weedkiller Rotation - Beans, Wheat, Potatoes & Barley

Rothamsted Research

Rothamsted Research (1970) *69/R/RNO - Cultivation Weedkiller Rotation - Beans, Wheat, Potatoes & Barley* ; Numerical Results Of The Field Experiments 1969, pp 89 - 95 - **DOI:**

<https://doi.org/10.23637/ERADOC-1-96>

CULTIVATION - WEEDKILLER ROTATION

(69/R/RN/8)

Great Harpenden I 1969 - the 9th year

A comparison of methods of primary cultivation and the effects of weedkillers. For previous history, rotations, treatments etc., see 'Details' 1967 and 'Results' 68/B/6.

Treatment C (hitherto reserve) is now used for the following 'standard cultivations' treatment, where the primary cultivation considered best for a crop is applied for it:-

For potatoes: plough in autumn, rotary cultivate in spring, weedkiller and rotor ridging as SY plots.

For barley: deep-tine cultivate, treated with same weedkiller as H sub-plots.

For beans: plough, weedkiller as S plots.

For wheat: plough or deep-tine cultivate, treated with same weedkiller as H sub-plots.

The paraquat treatment (G) is applied to stubbles on half plots.

Treatment B (minimum cultivations): The cereal straw is now burnt on these plots. For 1969 the wheat straw was not burnt and the bean straw was raked off, as there was insufficient to burn.

The pre-emergence weedkiller to potatoes is now paraquat at 0.375 lb ion plus linuron at 0.75 lb in 37 gals.

Area harvested: Spring beans: 0.0100. Winter wheat and barley: 0.0107. Potatoes: 0.0054.

Cultivations, etc.:-

Spring beans: Straw burned on B plots: 3 Sept, 1968. Paraquat applied to G sub-plots: 10 Sept. T and B plots deep-tine cultivated: 18 Oct. T plots deep-tine cultivated second time: 19 Oct. P and C plots ploughed: 21 Oct. R plots rotary cultivated (depth 6 ins): 23 Oct. P,T,B and C plots power-harrowed, R and A plots rotary cultivated: 25 Mar, 1969. Seed drilled at 200 lb: 26 Mar. S plots sprayed: 27 Mar. M and C plots tractor-hoed twice: 14 May, 5 June. Sprayed with demeton-s-methyl at 3.5 oz in 37 gals: 26 June. Combine harvested: 8 Sept.

SUMMARY OF RESULTS

SPRING BEANS

GRAIN: CWT

	P	R	T	Mean
Mean (± 0.62)	24.6	24.7	24.4	24.6
M (± 1.07)	25.4	24.9	26.9	25.7 (± 0.62)
S (± 0.76)	24.1	24.6	23.2	24.0 (± 0.44)
Q	24.6	25.1	23.4	24.4
G	24.5	24.3	25.4	24.7

A	AG	B	BG	C	CG
22.6	24.0	23.0	23.1	25.4	25.2

General mean: 24.4

Mean D.M. %: 82.4

WINTER WHEAT

GRAIN: CWT

	P	R	T	Mean			
Mean (± 0.64)	57.0	55.9	56.9	56.6			
M* (± 1.11)	55.8	54.6	57.4	55.9 (± 0.64)			
S* (± 0.78)	57.5	56.5	56.7	56.9 (± 0.45)			
O	57.4	55.7	57.1	56.7			
G	56.6	56.0	56.7	56.4			
O	57.8	56.5	56.9	57.0			
H	56.1	55.2	57.0	56.1			
A	AG	AH	AGH	B	BG	C	CG
60.9	54.6	56.3	59.5	55.3	57.1	56.6	56.3

General mean: 56.6

Mean D.M. %: 82.3

* Applied 1968.

POTATOES

TOTAL TUBERS: TONS

	P	R	T	Mean
Mean (± 0.312)	11.39	12.03	12.40	11.94
		(± 0.540)		(± 0.312)
M	9.30	10.12	11.61	10.35
S	13.11	12.77	13.13	13.00
.SY	11.74	13.20	12.47	12.47
		(1) and (2)		(± 0.182)
O	11.37	12.16	12.21	11.91
G	11.40	11.90	12.60	11.96

(1) (± 0.383) For use in vertical and interaction comparisons only
 (2) (± 0.315) For use in horizontal and diagonal comparisons only

A AG B C CG
 11.75 11.34 12.38 10.70 10.28

General mean: 11.8

POTATUES

% WARE

	P	R	T	Mean
Mean	95.8	96.6	96.6	96.3
M	95.1	96.5	96.8	96.1
S	96.2	96.4	96.6	96.4
SY	96.1	96.9	96.4	96.5
O	95.9	96.7	96.4	96.3
G	95.7	96.5	96.8	96.3

A	AG	B	C	CG
96.2	95.6	95.9	96.0	95.3

General mean: 96.2

BARLEY
GRAIN: CWT

	P	R	T	Mean
Mean (± 0.34)	43.6	44.0 (± 0.58)	44.0	43.8 (± 0.34)
M*	43.9	43.9	43.6	43.8
S*	43.2	43.9	43.9	43.7
SY*	43.6	44.2 (1) and (2)	44.5	44.1 (± 0.29)
O	43.6	43.1	44.3	43.7
H	43.6	44.8	43.7	44.0

(1) (± 0.49) For use in vertical and interaction comparisons only

(2) (± 0.50) For use in horizontal and diagonal comparisons only

A	AG	AH	AGH	B	BG	C	CG
42.8	47.5	45.5	42.3	43.8	45.5	46.0	44.1

General mean: 44.1

Mean D.M. %: 80.8

* Applied 1968.