

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1970

[Full Table of Content](#)

International Agricultural Research
Institute
Lancaster University, Bailrigg
Lancaster, LA1 4YW, UK
Tel: +44 (0)1524 534344
Fax: +44 (0)1524 534345
Email: eradoc@lancaster.ac.uk
Website: <http://www.lancaster.ac.uk/eradoc/>
© Rothamsted Research 2015

70/R/CS/25 Insecticides and Molluscicides - Old Grass

Rothamsted Research

Rothamsted Research (1971) *70/R/CS/25 Insecticides and Molluscicides - Old Grass* ; Numerical Results Of The Field Experiments 1970, pp 171 - 172 - **DOI:**

<https://doi.org/10.23637/ERADOC-1-59>

INSECTICIDES AND MOLLUSCICIDES

(70/R/CS/25)

Old grass, Road Piece 1970, the third year.

For treatments and previous years' results see 'Results' 68/C/17 and 69/R/CS/25.

Area of each plot: 0.0209. Area harvested: 0.0054.

Basal applications: 448 lb (0:14:28) in winter, 390 lb (25:0:16) in spring and 200 lb (25:0:16) after each cut except the last.

Cultivations, etc.: PK applied: 23 Oct, 1969. NK applied: 17 Mar, 1970. Cut 3 times: 2 June, 3 Aug, 1 Oct. NK applied after first 2 cuts. Insecticides and molluscicides applied: BHC: Not applied in 1970.

Chlorbenside, Metaldehyde, Menazon: Applied 27 Jan, 23 Mar, 20 Apr, 19 May, 17 June, 22 July, 17 Aug, 4 Sept.

NOTE: Samples were taken for botanical analysis. Samples for fauna were taken throughout the year.

Standard errors per plot. Dry matter, cwt:

1st cut:	2.30 or 5.9% (18 d.f.)
2nd cut:	1.47 or 26.1% (18 d.f.)
3rd cut:	1.91 or 13.7% (18 d.f.)
Total of 3 cuts:	4.63 or 7.9% (18 d.f.)

70/R/CS/25

SUMMARY OF RESULTS

DRY MATTER: CWT

O	S	B*	C	M	P	BCMP	Mean
1ST CUT							
(±1.15)							
39.3	37.7	40.4	38.4	37.9	39.3	40.0	39.0
2ND CUT							
(±0.74)							
5.2	5.7	6.2	5.3	4.5	6.3	6.2	5.6
3RD CUT							
(±0.96)							
13.1	15.0	16.1	13.3	12.5	14.3	13.6	14.0
TOTAL OF 3 CUTS							
(±2.32)							
57.6	58.4	62.7	57.0	55.0	60.0	59.8	58.6
Mean D.M. %:							
			1st cut:		22.1		
			2nd cut:		28.4		
			3rd cut:		23.2		
			Total of 3 cuts:		24.6		

* Applied 1969