

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



## 70/W/CS/56 Nematodes and Verticillium - Potatoes

### Rothamsted Research

Rothamsted Research (1971) *70/W/CS/56 Nematodes and Verticillium - Potatoes* ; Numerical Results Of The Field Experiments 1970, pp 203 - 204 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

## NEMATODES AND VERTICILLIUM

(70/W/CS/56)

Nematodes and verticillium - Woburn Broadmead I 1970, second year - potatoes.

Design: 4 randomised blocks of 6 plots.

Area of each plot: 0.0094. Area harvested: 0.0047.

### Treatments:

Residues of chemicals and wheelmarks 1969: None (OO), methyl bromide at 870 lb, with wheelmarks on 3 occasions (MW), methyl bromide at 870 lb, without wheelmarks (MO), 'Temik' (aldicarb) at 60 lb a.i., without wheelmarks (TO), benomyl at 10 lb of 50% wettable powder per ton of seed, without wheelmarks (BO), wheelmarks on 3 occasions (OW).

Basal applications: 10 cwt (13:13:20), 4.5 cwt Epsom salts.

Weedkiller: Linuron at 1.5 lb plus paraquat at 0.37 lb ion in 33 gals, paraquat at 0.025 lb ion in 28 gals. Fungicide: Mancozeb at 1.2 lb in 37 gals on two occasions. Insecticide: Demeton-s-methyl at 3.5 fl oz in 37 gals on one occasion with mancozeb.

Cultivations: Rotary cultivated twice: 10 Sept, 1969, 10 Oct. Deep-tine cultivated: 2 Jan, 1970. NPK applied: 2 Apr. Mg applied: 8 Apr. Rotary cultivated, potatoes planted: 23 Apr. Linuron plus paraquat applied: 13 May. Paraquat applied between rows: 3 June. Grubbed, rotary ridged: 6 June. Fungicide with insecticide applied: 31 July. Fungicide applied: 18 Aug. Sprayed with undiluted BOV at 20 gals: 7 Sept. Lifted: 14 Sept. Variety: Pentland Crown.

NOTES: (1) For previous year's results see 'Results' 69/W/P/2.  
(2) Soil samples were taken after lifting for *Heterodera rostochiensis* cyst counts.

Standard error per plot.

Total tubers, tons: 2.106 or 38.0% (15 d.f.)

70/W/CS/56

SUMMARY OF RESULTS

OO	MW	MO	TO	BO	OW	Mean
TOTAL TUBERS: TONS						
(+1.053)						
3.49	7.59	8.09	7.48	3.30	3.30	5.54
% WARE: 1.75 INCH						
72.2	90.2	91.1	88.6	69.5	64.9	79.4