

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



70/W/CS/60 Glycoluril for Grass - Grass

Rothamsted Research

Rothamsted Research (1971) *70/W/CS/60 Glycoluril for Grass - Grass* ; Numerical Results Of The Field Experiments 1970, pp 211 - 212 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

GLYCOLURIL FOR GRASS

(70/W/CS/60)

The effects of glycoluril as a slow-N fertiliser for grass - Woburn Stackyard D 1970, first year - ryegrass.

Design: 3 randomised blocks of 16 plots.

Area of each plot: 0.0003. Area harvested: 0.0002.

Treatments: None (NO) (4 plots per block) and all combinations of:-

1. N fertiliser:-
 - Glycoluril powder (less than 1 mm) single application (GP)
 - Glycoluril granules (1.5 - 3.0 mm) single application (GG)
 - 'Nitro-Chalk' single application (NS)
 - 'Nitro-Chalk', three equal divided applications* (ND)
2. Levels of N: 100 lb (N1), 200 lb (N2), 300 lb (N3)

* The third application was not given in 1970, it will be given in spring 1971.

Basal application: 6 cwt (6:15:15).

Cultivations, etc.: Rotary cultivated: 10 Sept, 1969. Seed combine drilled at 50 lb: 11 Sept. Trimmed by rotary mower (yields not taken): 10 Apr, 1970. N applied: 17 Apr. Second N applied ND plots: 18 May. Cut twice: 18 May, 30 Sept. Variety: S24 Ryegrass. Previous crops: Fallow 1968, 1969.

NOTE: Grass samples were taken to determine dry matter and percentage N.

Standard errors per plot. Dry matter, cwt:
1st cut: 2.80 or 11.6% (30 d.f.)
2nd cut: 3.43 or 12.5% (30 d.f.)
Total of 2 cuts: 4.31 or 8.4% (30 d.f.)

70/W/CS/60

SUMMARY OF RESULTS

DRY MATTER: CWT

	NO	N1	N2	N3	Mean
1ST CUT					
			(±1.61)		(±0.93)
GP		17.2	15.8	19.3	17.4
GG		17.9	19.9	18.1	18.6
NS		36.2	36.8	38.5	37.2
ND		29.8	36.7	36.4	34.3
Mean (±0.81)	16.2	25.3	27.3	28.1	24.2*
2ND CUT					
			(±1.98)		(±1.14)
GP		24.8	38.7	42.2	35.3
GG		26.4	34.9	37.8	33.0
NS		14.7	24.9	38.2	25.9
ND		25.2	37.3	43.4	35.3
Mean (±0.99)	12.5	22.8	34.0	40.4	27.4*
TOTAL OF 2 CUTS					
			(±2.49)		(±1.44)
GP		42.1	54.5	61.5	52.7
GG		44.3	54.7	55.8	51.6
NS		51.0	61.7	76.6	63.1
ND		55.0	74.0	79.8	69.6
Mean (±1.24)	28.7	48.1	61.2	68.5	51.6*
Mean D.M. %:					
1st cut:		20.9			
2nd cut:		26.7			
Total of 2 cuts:		23.8			

* General mean