

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



70/R/WW/9 Winter Wheat Growth Regulators

Rothamsted Research

Rothamsted Research (1971) *70/R/WW/9 Winter Wheat Growth Regulators ; Numerical Results Of The Field Experiments 1970*, pp 229 - 230 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

WINTER WHEAT

(70/R/WW/9)

Growth regulators, Great Knott III 1970.

Design: 3 randomised blocks of 10 plots.

Area of each plot: 0.0029. Area harvested: 0.0016.

Treatments: None (2 plots per block) and all combinations of:-

1. Growth regulators: 'Ethrel'* at 0.5 lb a.i. in 30 gals. (E),
'Morphactin' at 0.08 lb a.i. in 30 gals (M).

2. Time of application: 6 May (e), 28 May (m), 11 June (1),
together with

Disbudders: 'JF 2197' (D1)

'JF 2695' (D2)

each applied at 1.35 lb a.i. in 27 gals on 30 Apr.

* 2-chloroethylphosphonic acid.

Basal applications: 290 lb (0:20:20) broadcast, 460 lb 'Nitro-Chalk'
in spring. Weedkiller: 2,4-D at 0.5 lb and dichlorprop at 2 lb
in 35 gals.

Cultivations, etc.: Deep-tine cultivated: 21 Oct, 1969. Seed
drilled at 180 lb, basal PK broadcast: 27 Oct. Basal N
applied: 6 May, 1970. Weedkiller applied: 13 May. Variety:
Cappelle. Previous crops: Spring beans 1968, potatoes 1969.

NOTE: Samples were taken just before harvest for yields, dry
weights and stem lengths.

Standard error per plot.

Grain, cwt: 3.45 or 7.7% (18 d.f.)

70/R/WH/9

SUMMARY OF RESULTS

GRAIN: CWT

O*	Ee	Em	El	Me	Mm	ML	D1	D2	Mean
(±1.41)				(±1.99)					
46.7	46.3	46.1	47.1	40.2	46.7	43.1	44.7	39.3	44.7

Mean D.M. %: 85.4

* Duplicated treatment