

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



## 70/R/B/1 Barley Systemic Fungicides

### Rothamsted Research

Rothamsted Research (1971) *70/R/B/1 Barley Systemic Fungicides ; Numerical Results Of The Field Experiments 1970*, pp 245 - 246 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

BARLEY

(70/R/B/1)

Systemic fungicides, Harwoods Piece 1970.

Design: 3 randomised blocks of 7 plots.

Area of each plot: 0.0060. Area harvested: 0.0021.

Treatments: Systemic fungicides (shown below in lb of active ingredient, except where described otherwise):

Fungicide	Seed dressing	Spray	Symbol
None	None	None	(O)
50% benomyl	0.25	1.00	(B)
80% ethirimol	1.00	1.00	(E)
50% furidazole	0.03	1.00	(F)
'E.L.273' (4 % a.i.)	0.03	0.08	(L)
50% thiophanate methyl	1.20	1.50	(T)
'W524' (83.4 % a.i.)	0.375	*2.85 fluid oz a.i.	(W)

Each applied as a seed dressing, and twice at above rates as a spray in 35 gals (except treatment W, which was in 70 gals), the first spray at growth stage 7, the second at growth stage 10.2.

\*The formulation of 'W524' used for the spray contained 20% a.i.

Basal applications: 450 lb (20:10:10) combine drilled. Weedkiller: Tri-allate at 1.25 lb in 20 gals.

Cultivations, etc.: Ploughed: 27 Oct, 1969. Weedkiller applied: 19 Apr, 1970. Seed combine drilled at 140 lb: 22 Apr. Fungicide sprays applied: 8 June (GS7), 23 June (GS10.2). Combine harvested: 13 Aug. Variety: Zephyr. Previous crops: Spring wheat 1968 and 1969.

NOTE: Estimates were made of root diseases, mildew (*Erysiphe graminis*), brown rust (*Puccinia anomala*), and loose smut (*Ustilago nuda*).

Standard error per plot.

Grain, cwt: 3.09 or 8.3% (12 d.f.)

70/R/B/1

SUMMARY OF RESULTS

GRAIN: CWT

O	B	E	F	L	T	W	Mean
			(±1.78)				
36.8	40.8	37.3	36.8	34.6	38.1	36.5	37.3

Mean D.M. %: 83.5