

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



## 70/R/BE/3 Spring Beans Pyrethroids

### Rothamsted Research

Rothamsted Research (1971) *70/R/BE/3 Spring Beans Pyrethroids* ; Numerical Results Of The Field Experiments 1970, pp 272 - 273 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

SPRING BEANS

(70/R/BE/3)

Pyrethroids, Pastures 1970.

Design: 3 randomised blocks of 4 plots.

Area of each plot: 0.0145. Area harvested: 0.0096.

Treatments:- Insecticides:

- |  |     |
|--|-----|
| None   | (D) |
| Pyrethroid NRDC 104, 25% emulsifiable concentrate<br>at 4 oz a.i. in 50 gals | (A) |
| Pyrethroid NRDC 107, 25% emulsifiable concentrate<br>at 4 oz a.i. in 50 gals | (B) |
| Dimethoate 40% emulsifiable concentrate at 6 oz<br>a.i. in 50 gals           | (D) |

Basal applications: 360 lb (0:14:28) drilled 4 in. deep by 'Tume'  
drill. 3 tons of ground chalk. Weedkillers: Paraquat at  
0.5 lb ion in 20 gals, simazine at 1 lb in 20 gals.

Cultivations, etc.: Paraquat applied: 2 Oct, 1969. Chalked: 1 Nov.  
Ploughed: 2 Dec. Basal PK applied: 22 Mar, 1970. Seed drilled  
at 200 lb: 17 Apr. Simazine applied: 19 Apr. Insecticides  
applied: 3 July. Combine harvested: 4 Sept. Variety:  
Maris Bead. Previous crops: Barley 1968 and 1969.

NOTE: Aphid counts were made.

Standard error per plot.

Grain, cwt: 1.42 or 20.0% (6 d.f.)

70/R/BE/3

SUMMARY OF RESULTS

GRAIN: CWT

O	A	B	D	Mean
(±0.82)				
5.0	6.5	6.4	10.6	7.1

Mean D.M. %: 81.5