

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



### 70/R/BE/6 Spring Beans Seed Rates, Row Spacing and Growth Regulators

#### Rothamsted Research

Rothamsted Research (1971) *70/R/BE/6 Spring Beans Seed Rates, Row Spacing and Growth Regulators* ; Numerical Results Of The Field Experiments 1970, pp 276 - 277 - DOI:  
<https://doi.org/10.23637/ERADOC-1-59>

SPRING BEANS

(70/R/BE/6)

Seed rates, row spacing and growth regulators, Fosters O and E III  
1970.

Design: 3 randomised blocks of 4 plots, split into 4.

Area of each plot: 0.0022. Area harvested: 0.0005.

Treatments: All combinations of:-

- Whole plots: 1. Seed rates: 200 (1), 400 (2) lb.  
2. Distance between rows: 21 inches, sown by 'Smythe'  
drill (W), 5.5 inches, sown by 'Tume' drill (C).  
Sub plots: 3. Growth regulators: None (O), 'B9' at 4 lb a.i.  
(B), 'F529' at 2 lb a.i. (F), 'JF2579' at 4 lb  
a.i. (J). Each as a spray in 56 gals.

Basal applications: 360 lb (0:14:28) broadcast and rotary cultivated  
in before sowing. Weedkiller: Simazine at 1 lb in 35 gals.  
Insecticide: Demeton-s-methyl at 3.5 oz in 35 gals on 2 occasions.

Cultivations, etc.: Ploughed: 8 Oct - 3 Nov, 1969. Basal PK applied:  
16 Apr, 1970. Rotary cultivated, seed drilled: 18 Apr. Weedkiller  
applied: 24 Apr. Growth regulators applied: 11 June. Insecticide  
applied: 17 June and 20 July. Harvested by hand: 11 Sept.  
Variety: Tarvin. Previous crops: Barley 1968 and 1969.

NOTE: Stem heights were measured. Counts were made of numbers of  
stems and pods. 1000 grain weights were measured.

Standard errors per plot. Grain, cwt:

Whole plot: 1.03 or 6.1% (6 d.f.)  
Sub plot: 3.01 or 17.9% (24 d.f.)

70/R/BE/6

SUMMARY OF RESULTS

GRAIN: CWT

	1	2	O	B	F	J	Mean
	(±0.60)		(1) and (2)				(±0.42)
W	15.2	15.1	17.9	15.3	15.4	12.0	15.2
C	17.6	19.5	19.9	19.5	20.9	13.9	18.6
			(1) and (2)				(±0.42)
		1	19.1	16.5	17.4	12.7	16.4
		2	18.7	18.3	19.0	13.2	17.3
Mean (±0.87)			18.9	17.4	18.2	13.0	16.9

Mean D.M. %: 79.7

- (1) (±1.15) For use in vertical and diagonal comparisons only
- (2) (±1.23) For use in horizontal and interaction comparisons only