

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



## 70/S/BE/1 Spring Beans Insecticide and Sitona

### Rothamsted Research

Rothamsted Research (1971) *70/S/BE/1 Spring Beans Insecticide and Sitona* ; Numerical Results Of The Field Experiments 1970, pp 285 - 285 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

SPRING BEANS

(70/S/BE/1)

Insecticide and Sitona, Saxmundham O and E North 1970.

Design: 6 randomised blocks of 3 plots.

Area of each plot: 0.0028. Area harvested: 0.0005.

Treatments: Insecticide: None (0), 2 lb gamma BHC (1), 4 lb gamma BHC (2) applied as a suspension of wettable powder, rotary cultivated in.

Basal applications: 7 cwt (0:14:28). Insecticide: Menazon ('Saphicol' at 0.5 pints in 40 gals).

Cultivations, etc.: Ploughed: 10 Sept, 1969 - 15 Sept. Test insecticide applied, basal PK applied, plots rotary cultivated, seed drilled at 200 lb: 20 Apr, 1970. Basal insecticide applied: 22 July. Harvested: 1 Sept. Variety: Maris Bead.

NOTE: Soil and plant samples were taken to estimate the population of Sitona larvae.

Standard error per plot.

Grain, cwt: 3.04 or 14.8% (10 d.f.)

SUMMARY OF RESULTS

GRAIN: CWT

0	1	2	Mean
	(±1.24)		
19.5	21.3	20.9	20.6