

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



70/S/RN/2 Rotation II 1970- Potatoes, Sugar Beet, Barley

Rothamsted Research

Rothamsted Research (1971) 70/S/RN/2 *Rotation II 1970- Potatoes, Sugar Beet, Barley ; Numerical Results Of The Field Experiments 1970*, pp 45 - 50 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

SAXMUNDHAM

ROTATION II 1970

(70/S/RN/2)

For history, treatments, rotations and results see 'Details' 1967
and 'Results' 68/A/10 and 69/S/RN/2.

Area of each sub plot:	Area harvested:
Potatoes: 0.0048	0.0019
Sugar beet: 0.0050	0.0025
Barley: 0.0273	0.0015

Basal applications: Manures as 1969.

Potatoes: Weedkiller: Linuron at 1.5 lb in 40 gals. Insecticide:
Menazon ('Saphicol' at 0.5 pints in 40 gals) alone and with
fungicide. Fungicide: Captafol at 1.5 lb in 40 gals alone
and with insecticide.

Sugar beet: Weedkiller: Pyrazon at 2.4 lb in 20 gals. Insecticide:
Menazon ('Saphicol' at 0.5 pints in 40 gals on four occasions).
Barley: Weedkiller: Mecoprop at 36 oz and 2,4-D at 9 oz in 20 gals.

Cultivations, etc.:

Potatoes: Ploughed: 10 Oct, 1969. Fertilisers applied: 29 Apr, 1970.

Potatoes planted: 30 Apr. Weedkiller applied: 28 May.

Insecticide applied: 24 June. Insecticide plus fungicide
applied: 14 July, 6 Aug. Fungicide applied: 26 Aug. Lifted:
22 Sept. Variety: King Edward.

Barley: Ploughed: 10 Oct, 1969. Fertilisers applied, seed drilled:
20 Apr, 1970. Weedkiller applied: 28 May. Combine harvested:
11 Aug. Variety: Julia.

Sugar beet: Ploughed: 10 Oct, 1969. Fertilisers applied: 29 Apr, 1970.
Seed drilled: 30 Apr. Weedkiller applied: 1 May. Insecticide
applied: 24 June, 22 July, 6 Aug and 26 Aug. Lifted: 13 Oct.
Variety: Klein E.

70/S/RN/2

SUMMARY OF RESULTS

POTATOES

TOTAL TUBERS: TONS

Plot	Treatment 1966 and 1967	1970				Mean
		P0*	P1	P2	P3	
1	P0	3.59	3.94	4.51	6.02	4.33
2	P0	5.44	4.17	7.99	6.48	5.90
3	P0	9.72	9.03	8.91	9.38	9.35
4	D	10.88	11.46	9.84	11.81	10.97
5	DP1	11.58	12.39	12.04	11.11	11.74
6	P1	11.81	10.42	10.65	12.96	11.53
7	P2	10.88	11.46	12.73	11.58	11.51
8	P0	9.67	10.07	11.11	8.57	9.82
Mean		9.20	9.12	9.72	9.74	9.39

SUGAR BEET

ROOTS (WASHED): TONS

Plot	Treatment	1970				Mean
		P0	P1	P2	P3	
1	P0	2.12	2.61	2.70	12.78	4.47
2	P0	4.95	6.75	7.20	7.20	6.21
3	P0	9.36	11.52	9.00	13.77	10.61
4	D	9.41	6.66	7.09	6.48	7.81
5	DP1	10.14	10.08	11.25	9.99	10.32
6	P1	9.99	12.69	11.16	8.01	10.37
7	P2	10.49	14.49	10.80	14.85	12.23
8	P0	13.05	13.14	10.53	9.90	11.94
Mean		8.69	9.75	8.72	10.38	9.24

* Duplicated treatment

70/S/RN/2

SUGAR BEET

Plot	Treatment 1966 and 1967	P0*	P1	1970 P2	P3	Mean
SUGAR %						
1	PO	13.9	13.0	13.2	15.2	13.8
2	PO	14.3	13.8	14.8	14.3	14.3
3	PO	14.5	15.6	14.6	15.4	14.9
4	D	15.2	14.3	14.3	14.5	14.7
5	DP1	14.5	15.2	15.0	14.3	14.7
6	P1	14.6	15.4	16.0	14.6	15.0
7	P2	15.7	15.5	15.1	15.7	15.5
8	PO	15.5	15.2	15.5	15.5	15.5
Mean		14.8	14.8	14.8	15.0	14.8
TOTAL SUGAR: CWT						
1	PO	5.9	6.8	7.1	39.0	12.9
2	PO	14.2	18.6	21.3	20.6	17.8
3	PO	27.2	36.0	26.2	42.3	31.8
4	D	28.6	19.1	20.2	18.8	23.1
5	DP1	29.3	30.7	33.9	28.6	30.3
6	P1	30.0	39.2	35.6	23.5	31.7
7	P2	32.9	44.8	32.6	46.6	38.0
8	PO	40.5	39.9	32.7	30.8	36.9
Mean		26.1	29.4	26.2	31.3	27.8

* Duplicated treatment

70/S/RN/2

SUGAR BEET

Plot	Treatment 1966 and 1967	1970				Mean
		P0*	P1	P2	P3	
TOPS: TONS						
1	PO	3.06	4.01	4.10	8.33	4.51
2	PO	5.38	8.96	8.64	8.60	7.39
3	PO	8.71	13.19	9.14	13.28	10.61
4	D	10.22	7.88	9.23	7.43	8.99
5	DP1	10.69	9.59	14.54	9.14	10.93
6	P1	12.40	11.93	12.83	9.99	11.91
7	P2	11.57	13.46	11.39	13.28	12.25
8	PO	12.58	11.48	10.04	12.02	11.74
Mean		9.33	10.06	9.99	10.26	9.79
PLANT NUMBER: THOUSANDS						
1	PO	8.9	11.7	9.3	13.7	10.5
2	PO	11.5	15.3	14.1	14.5	13.4
3	PO	16.3	18.6	13.7	22.2	17.4
4	D	15.9	13.3	8.5	14.1	13.6
5	DP1	14.5	14.9	15.7	10.9	14.1
6	P1	22.4	18.1	21.8	13.3	19.6
7	P2	21.2	27.8	16.9	30.7	23.6
8	PO	21.8	22.6	21.0	20.2	21.5
Mean		16.6	17.8	15.1	17.4	16.7

* Duplicated treatment

70/S/RN/2

BARLEY AFTER POTATOES

Plot	Treatment 1966 and 1967	1969				Mean
		P0*	P1	P2	P3	
GRAIN: CWT						
1	P0	22.9	25.4	33.9	31.7	27.4
2	P0	30.3	32.1	35.5	36.5	33.0
3	P0	35.3	35.3	34.3	36.5	35.3
4	D	37.1	35.5	38.7	38.0	37.3
5	DP1	37.0	35.9	40.2	36.0	37.2
6	P1	38.1	37.2	33.2	39.5	37.2
7	P2	38.3	34.4	33.5	36.9	36.3
8	P0	37.8	35.0	32.3	36.2	35.8
Mean		34.6	33.9	35.2	36.4	34.9
STRAW: CWT						
1	P0	20.4	23.6	28.1	30.8	24.7
2	P0	27.7	29.3	34.6	32.6	30.4
3	P0	36.5	35.9	32.9	33.7	35.1
4	D	38.6	40.7	41.6	40.3	39.9
5	DP1	40.2	38.4	39.1	38.2	39.2
6	P1	39.5	35.9	39.9	37.6	38.5
7	P2	36.2	37.3	41.9	40.0	38.3
8	P0	37.2	33.3	34.2	39.9	36.4
Mean		34.5	34.3	36.6	36.6	35.3

Mean D.M. %: Grain: 84.2
Straw: 74.6

* Duplicated treatment

70/S/RN/2

BARLEY AFTER SUGAR BEET

Plot	Treatment 1966 and 1967	1969				Mean
		P0*	P1	P2	P3	
GRAIN: CWT						
1	P0	18.1	20.6	25.8	29.5	22.4
2	P0	24.9	28.5	29.5	28.2	27.2
3	P0	32.1	30.7	30.7	31.7	31.5
4	D	32.6	37.5	36.5	33.2	34.5
5	DP1	36.9	36.1	32.1	34.6	35.3
6	P1	34.6	39.2	34.2	37.5	36.0
7	P2	36.2	35.2	39.3	39.9	37.4
8	P0	32.7	35.4	36.8	34.9	34.5
Mean		31.0	32.9	33.1	33.7	32.3
STRAW: CWT						
1	P0	16.5	17.3	22.5	23.9	19.3
2	P0	23.1	23.4	28.3	27.9	25.2
3	P0	31.2	33.9	34.7	33.1	32.8
4	D	35.5	40.2	37.2	35.1	36.7
5	DP1	36.7	40.7	37.7	36.8	37.7
6	P1	37.0	41.0	35.7	38.1	37.8
7	P2	39.7	38.7	37.3	42.6	39.6
8	P0	43.4	38.1	42.2	37.4	40.9
Mean		32.9	34.2	34.5	34.3	33.8

Mean D.M. %: Grain: 83.4
Straw: 72.9

* Duplicated treatment