

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



## 70/R/RN/8 Cultivation/WEEDKILLER - Spring Beans, Winter Wheat, Potatoes, Barley

### Rothamsted Research

Rothamsted Research (1971) *70/R/RN/8 Cultivation/WEEDKILLER - Spring Beans, Winter Wheat, Potatoes, Barley* ; Numerical Results Of The Field Experiments 1970, pp 94 - 100 - DOI:  
<https://doi.org/10.23637/ERADOC-1-59>

## CULTIVATION/WEEDKILLER

(70/R/RN/8)

Beans, wheat, potatoes and barley, Great Harpenden I 1970, the 10th year. For previous history, rotations, treatments etc. see 'Details' 1967 and 'Results' 68/B/6 and 69/R/RN/8.

The barley variety is now Julia.

Area of each plot: 0.0482. Area harvested: Beans: 0.0121. Wheat, potatoes and barley: 0.0107.

### Cultivations, etc.:-

Spring beans: Barley straw burned on B plots: 29 Aug, 1969.

Paraquat applied to G sub-plots and to half of each B plot: 17 Sept. Paraquat applied to remaining B half-plots, T plots deep-tine cultivated twice: 6 Oct. B plots deep-tine cultivated: 7 Oct. P and C plots ploughed: 20 Oct. R plots rotary cultivated: 24 Nov. P, R, T, B and C plots power-harrowed: 20 Mar, 1970. A plots rotary-cultivated, all plots placement drilled at 200 lb: 21 Mar. S plots sprayed: 31 Mar. M plots tractor-hoed twice: 14 May, 5 June. Sprayed with demeton-s-methyl at 3.5 oz in 40 gals: 18 June. Combine harvested: 3 Sept.

Winter wheat: Bean straw raked off B plots (insufficient to burn): 7 Sept, 1969. Paraquat applied to G sub-plots and to half of each B plot: 17 Sept. Paraquat applied to remaining B half-plots, T plots deep-tine cultivated twice: 6 Oct. B plots deep-tine cultivated: 7 Oct. P, C and A plots ploughed: 10 Oct. T plots deep-tine cultivated: 11 Oct. P, T, A, B and C plots power-harrowed, R plots rotary cultivated: 13 Oct. P, C and A plots rolled: 14 Oct. P, C and A plots disced: 15 Oct. Seed combine drilled at 180 lb: 17 Oct. N applied: 28 Apr, 1970. All plots rolled: 3 May. H sub-plots and B plots sprayed with mecoprop/2,4-D ('Methoxone 4X' at 4.5 pints in 20 gals): 14 May. Combine harvested: 27 Aug.

Potatoes: Wheat straw burned on B plots: 3 Sept, 1969. Paraquat applied to G sub-plots and to half of each B plot: 17 Sept. Paraquat applied to remaining B half-plots, T plots deep-tine cultivated twice: 6 Oct. P and C plots ploughed: 20 Oct. R plots rotary cultivated: 24 Nov. Basal NPK applied: 17 Apr, 1970. R, A, B and C plots rotary cultivated, P and T plots power-harrowed, potatoes machine planted: 1 May. All ridges rolled:

70/R/RN/8

14 May. S plots sprayed: 23 May. M plots mechanically weeded and grubbed: 30 May. M and Y plots grubbed and rotary ridged: 17 June. Sprayed with mancozeb at 1.2 lb plus demeton-s-methyl at 3.5 oz in 40 gals: 29 July. Sprayed with mancozeb at 1.2 lb in 40 gals: 14 Aug. Sprayed with undiluted BGV at 15 gals: 14 Sept. Lifted: 16 Sept.

Barley: T and C plots deep-tine cultivated twice, B plots spring-tine cultivated: 8 Oct, 1969. P plots ploughed: 20 Oct. R plots rotary cultivated: 24 Nov. P, R, T, B and C plots power-harrowed: 20 Mar, 1970. A plots rotary cultivated, seed combine drilled at 140 lb: 21 Mar. H sub-plots and B plots sprayed with mecoprop/2,4-D ('Methoxone 4X' at 4 pints in 20 gals): 18 May. Combine harvested: 15 Aug.

Standard errors per plot.

Spring beans: Grain, cwt:	Whole plot: 1.34 or 24.3% (8 d.f.)
	Sub plot: 1.04 or 18.9% (8 d.f.)
Winter wheat: Grain, cwt:	Whole plot: 3.47 or 7.8% (8 d.f.)
	Sub plot: 2.26 or 5.1% (8 d.f.)
Potatoes: Total tubers, tons:	Whole plot: 2.054 or 15.2% (8 d.f.)
	Sub plot: 0.673 or 5.0% (8 d.f.)
Barley: Grain, cwt:	Whole plot: 5.07 or 13.4% (8 d.f.)
	Sub plot: 1.73 or 4.6% (8 d.f.)



70/R/RN/8

SUMMARY OF RESULTS

SPRING BEANS

GRAIN: CWT

	P	R	T	Mean
Mean ( $\pm 0.39$ )	7.6	4.3	4.6	5.5
M ( $\pm 0.67$ )	7.0	4.5	5.0	5.5 ( $\pm 0.39$ )
S ( $\pm 0.48$ )	7.9	4.1	4.4	5.5 ( $\pm 0.27$ )
	(1) and (2)			( $\pm 0.24$ )
O	7.5	3.9	4.1	5.2
G	7.7	4.6	5.1	5.8

A	AG	BG	C	CG
4.1	2.7	7.6	5.8	7.4

General mean: 5.6

Mean D.M. %: 75.6

(1) ( $\pm 0.49$ ) For use in horizontal and diagonal comparisons only

(2) ( $\pm 0.42$ ) For use in vertical and interaction comparisons only

70/R/RN/8

WINTER WHEAT

GRAIN: CWT

	P	R	T	Mean
Mean ( $\pm 1.00$ )	44.6	44.1	45.2	44.6
M* ( $\pm 1.73$ )	45.7	45.0	45.8	45.5 ( $\pm 1.00$ )
S* ( $\pm 1.22$ )	44.1	43.6	44.8	44.2 ( $\pm 0.71$ )
		(1) and (2)		( $\pm 0.53$ )
O	45.0	43.0	44.3	44.1
G	44.3	45.2	46.1	45.2
		(1) and (2)		( $\pm 0.53$ )
O	44.6	42.3	43.1	43.3
H	44.6	45.8	47.3	45.9

A	AG	AH	AGH	BGH	CH	CGH
40.8	39.2	37.9	47.7	41.5	41.2	47.5

General mean: 44.1  
 Mean D.M. %: 84.1

\* Applied 1969

- (1) ( $\pm 1.19$ ) For use in horizontal and diagonal comparisons only
- (2) ( $\pm 0.92$ ) For use in vertical and interaction comparisons only

70/R/RN/8

POTATOES

TOTAL TUBERS: TONS

	P	R	T	Mean
Mean ( $\pm 0.593$ )	12.99	12.99	14.56	13.51
		( $\pm 1.027$ )		( $\pm 0.593$ )
M	12.83	13.63	14.96	13.81
S	12.94	12.45	15.19	13.52
SY	13.21	12.88	13.54	13.21
		(1) and (2)		( $\pm 0.159$ )
O	12.38	13.23	14.47	13.36
G	13.61	12.74	14.66	13.67

A	AG	BG	C	CG
12.20	12.82	13.38	13.70	12.23

- (1) ( $\pm 0.624$ ) For use in horizontal and diagonal comparisons only  
 (2) ( $\pm 0.275$ ) For use in vertical and interaction comparisons only

General mean: 13.37

70/R/RN/8

POTATOES

WARE: 1.5 INCH

	P	R	T	Mean	
Mean	96.3	96.6	96.4	96.4	
M	97.4	97.0	96.5	97.0	
S	95.5	96.6	96.4	96.2	
SY	95.9	96.1	96.4	96.1	
O	96.0	96.3	96.5	96.3	
G	96.5	96.8	96.4	96.6	
	A	AG	BG	C	CG
	96.8	97.0	94.4	96.9	94.8

General mean: 96.2

70/R/RN/8

BARLEY

GRAIN: CWT

	P	R	T	Mean
Mean ( $\pm 1.46$ )	39.5	37.1 ( $\pm 2.54$ )	37.3	38.0 ( $\pm 1.46$ )
M*	39.7	37.6	37.5	38.3
S*	41.7	38.0	35.1	38.3
SY*	37.0	35.6	39.4	37.4
		(1) and (2)		( $\pm 0.41$ )
D	39.7	36.5	36.3	37.5
H	39.3	37.6	38.3	38.4

A	AH	BH	CH
42.3	44.1	41.2	39.4

- (1) ( $\pm 1.55$ ) For use in horizontal and diagonal comparisons only  
 (2) ( $\pm 0.71$ ) For use in vertical and interaction comparisons only

General mean: 38.8  
 Mean D.M. %: 85.4

\* Applied 1969