Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1971



Full Table of Content

71/W/CS/20 Placement of Fumigant - Potatoes

Rothamsted Research

Rothamsted Research (1972) 71/W/CS/20 Placement of Fumigant - Potatoes; Yields Of The Field Experiments 1971, pp 156 - 157 - DOI: https://doi.org/10.23637/ERADOC-1-97

71/W/CS/20

PLACEMENT OF FUMIGANT

Object: To study the cumulative effects of soil fumigation on Heterodera rostochiensis and yield of potatoes grown continuously for five years - Woburn Butt Furlong.

The fifth year, potatoes.

For previous years see 67/C/34(t), 68/C/27(t), 69/W/CS/20 and 70/W/CS/20(t).

Whole plot dimensions: 2.13 x 4.57. Area harvested: 0.00098.

Treatments: 0, 84, 168, 336, 672 kg dazomet (applied cumulatively to previous rates of treatment).

Basal applications: 1380 kg (13:13:20). Weedkiller: Linuron at 1.12 kg in 371 l. Fungicide with insecticide: Mancozeb at 1.34 kg plus demeton-s-methyl at 246 ml in 416 l.

Cultivations, etc.: Ploughed: 10 Oct, 1970. Dazomet applied, rotary cultivated: 20 Oct. Deep-tine cultivated, NPK applied, potatoes planted, inter-row rotary cultivated and earthed up: 8 Apr, 1971. Weedkiller applied: 6 May. Fungicide with insecticide applied: 28 June. Haulm destroyed mechanically: 17 Sept. Sprayed with undiluted BOV at 225 1: 20 Sept. Lifted by hand: 8 Oct. Variety: Majestic.

NOTE: Soil samples were taken before planting and after harvest for cyst counts.

Standard error per plot.
Total tubers, tonnes/hectare: 3.84 or 15.6% (8 d.f.)

71/W/CS/20 SUMMARY OF RESULTS

DAZOMET: KG/HA

0	84	168	336	672	Mean
	9	OTAL TUBERS:	TONNES/HECTA	RE	
		(±2,22)			
15.3	21.2	22.7	28.9	35.2	24.6
			166		
	% WI	RE: 3.81 CM (1.5 INCH) RII	DDLE	
48.2	64.9	74.2	84.4	82.9	70.9