

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1971

[Full Table of Content](#)



### 71/W/CS/52 Fumigants, Temik and N - S. Wheat

#### Rothamsted Research

Rothamsted Research (1972) *71/W/CS/52 Fumigants, Temik and N - S. Wheat* ; Yields Of The Field Experiments 1971, pp 186 - 187 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

71/W/CS/52

FUMIGANTS, TEMIK AND N

Object: To study the effects of dazomet, formalin and aldicarb, at a range of nitrogen levels, on nematodes and yield of spring wheat - Woburn Butt Close.

The first year, spring wheat.

Design: 4 blocks of 12 plots.

Whole plot dimensions: 2.13 x 9.14. Area harvested: 0.00130.

Treatments: All combinations of:-

1. Fumigants: None (0) 381 kg (D) dazomet 2987 l(F)  
formalin (38% formaldehyde) 9 kg (T) aldicarb.
2. Nitrogen: 63, 126, 189 kg N as 'Nitro-Chalk'.

Dazomet was applied as a prill rotary cultivated in, formalin as a drench with water 54,400 l both applied in the autumn. Aldicarb was applied in the spring.

Basal applications: 381 kg (0:20:20). Weedkiller: Ioxynil at 0.525 kg and mecoprop at 1.58 kg in 281 l.

Cultivations, etc.: Ploughed: 3 Sept, 1970. Dazomet applied, rotary cultivated: 28 Sept. Formalin applied: 12 - 13 Oct. Ploughed: 9 Feb, 1971. Aldicarb applied: 8 Mar. Seed combine drilled at 191 kg: 17 Mar. N applied: 25 Mar. Weedkiller applied: 30 Apr. Combine harvested: 17 Aug. Variety: Kolibri. Previous crops: Barley 1969 and 1970.

NOTE: Soil samples were taken before fumigating and after harvest, and crop samples were taken in June, for counts of *Heterodera avenae*.

Standard error per plot.

Grain, tonnes/hectare: 0.375 or 14.9% (33 d.f.)

71/W/CS/52

SUMMARY OF RESULTS

N: KG/HA

	63	126	189	Mean
GRAIN: TONNES/HECTARE				
(±0.188)				
O	2.33	2.24	2.04	2.20
D	2.78	2.38	2.22	2.46
F	2.32	2.08	2.13	2.18
T	3.21	3.51	2.91	3.21
Mean (±0.094)	2.66	2.55	2.33	2.51
STRAW: TONNES/HECTARE				
O	2.55	2.31	2.37	2.41
D	2.70	2.61	2.64	2.65
F	2.53	2.24	2.12	2.30
T	2.92	3.01	2.87	2.94
Mean	2.68	2.54	2.50	2.57

Mean D.M. %: Grain: 80.8  
 Straw: 79.7