


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1971

[Full Table of Content](#)



71/R/CS/61 Fungicides - Old Grass

Rothamsted Research

Rothamsted Research (1972) *71/R/CS/61 Fungicides - Old Grass* ; Yields Of The Field Experiments 1971, pp 199 - 201 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

71/R/CS/61

FUNGICIDES

Object: To study the effects of three fungicides on yield and pathogens of old grass - Road Piece.

The first year, old grass.

Design: 3 randomised blocks of 4 plots, split into 2.

Whole plot dimensions: 5.49 x 7.32. Sub plot area harvested: 0.00074.

Treatments: All combinations of:-

Whole plots: 1. Fungicides: None (O), benomyl at 1.12 kg (B), carboxin at 1.12 kg (C), mancozeb at 1.12 kg (M).

Sub plots: 2. Nitrogen: 125 kg N in spring plus 75 kg N after each cut except the last (N2), 188 kg N in spring plus 113 kg N after each cut except the last (N3).

All N was applied as NK compound (25:0:16).

The fungicides were each applied in 281 l on 4 occasions (26 Nov, 1970, 12 Mar, 1971, 28 May, 16 Aug).

Basal applications: 500 kg (0:14:28) in winter.

Cultivations, etc.: PK applied: 19 Oct, 1970. NK applied:

26 Mar, 1971. Cut 3 times: 20 May, 8 July, 13 Sept. NK applied after each cut including* the last.

* It was intended to take a fourth cut, but growth was insufficient.

Standard errors per plot. Dry matter, tonnes/hectare:

1st cut:	Whole plot: 0.260 or 5.1% (6 d.f.)
	Sub plot: 0.314 or 6.1% (8 d.f.)
2nd cut:	Whole plot: 0.262 or 7.8% (6 d.f.)
	Sub plot: 0.205 or 6.2% (8 d.f.)
3rd cut:	Whole plot: 0.077 or 5.5% (6 d.f.)
	Sub plot: 0.167 or 12.0% (8 d.f.)
Total of 3 cuts:	Whole plot: 0.279 or 2.8% (6 d.f.)
	Sub plot: 0.316 or 3.2% (8 d.f.)

71/R/CS/61

SUMMARY OF RESULTS

DRY MATTER: TONNES/HECTARE

	N2	N3	Mean
1ST CUT			
	(1) and (2)		(± 0.150)
O	5.34	5.00	5.17
B	5.09	5.27	5.18
C	5.19	5.02	5.11
M	5.08	4.93	5.00
Mean (± 0.091)	5.18	5.05	5.11

2ND CUT			
	(3) and (4)		(± 0.151)
O	3.40	3.29	3.35
B	3.28	3.37	3.33
C	3.17	3.04	3.10
M	3.30	3.48	3.39
Mean (± 0.059)	3.28	3.30	3.29

(1) (± 0.198) (3) (± 0.173) For use in vertical and diagonal comparisons only

(2) (± 0.181) (4) (± 0.118) For use in horizontal and interaction comparisons only

Mean D.M. %: 1st cut: 20.6
2nd cut: 19.9

71/R/CS/61

DRY MATTER: TONNES/HECTARE

	N2	N3	Mean
	3RD CUT		
	(5) and (6)		(± 0.044)
O	1.53	1.12	1.33
B	1.36	1.13	1.25
C	1.75	1.21	1.48
M	1.79	1.22	1.51
Mean (± 0.048)	1.61	1.17	1.39

	TOTAL OF 3 CUTS		
	(7) and (8)		(± 0.161)
O	10.27	9.41	9.84
B	9.73	9.78	9.75
C	10.11	9.27	9.69
M	10.17	9.63	9.90
Mean (± 0.091)	10.07	9.52	9.80

(5) (± 0.081) (7) (± 0.206) For use in vertical and diagonal comparisons only
 (6) (± 0.096) (8) (± 0.182) For use in horizontal and interaction comparisons only

Mean D.M. %: 3rd cut: 23.7
 Total of 3 cuts: 21.4