Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1971



Full Table of Content

71/W/CS/64 Fumigants and Ditylenchus - Onions

Rothamsted Research

Rothamsted Research (1972) 71/W/CS/64 Fumigants and Ditylenchus - Onions; Yields Of The Field Experiments 1971, pp 204 - 205 - DOI: https://doi.org/10.23637/ERADOC-1-97

71/W/CS/64

FUMIGANTS AND DITYLENCHUS

Object: To study the effects of a range of rates of aldicarb and dazomet on yield of onions and incidence of Ditylenchus dipsaci - Woburn Butt Close.

First year, onions.

Design: 3 blocks of 10 plots.

Whole plot dimensions: 1.52 x 6.10. Area harvested: 0.00056.

Treatments:

Fumigants: None (D) 2 plots per block, 2.25 (T1), 4.5 (T2), 6.75 (T3), 9.0 (T4) kg aldicarb, 225 (D1), 450 (D2), 675 (D3), 900 (D4) kg dazomet.

NOTE: Dazomet applied in autumn and rotary cultivated in, aldicarb applied in spring before sowing.

Basal applications: 1260 kg (13:13:20).

Irrigation (mm water):

 29 Mar 2mm
 16 Apr 3mm
 3 June 3mm

 1 Apr 3mm
 30 Apr 3mm
 7 June 3mm

 5 Apr 2mm
 4 May 3mm
 5 July 12mm

 8 Apr 3mm
 13 May 3mm
 15 July 24mm

 13 Apr 2mm
 21 May 3mm
 21 July 24mm

13 Apr 2mm 21 May 3mm 21 July 24mm Total 93 mm
Inoculum: Field bean stems infected with Ditylenchus dipsaci. Weed-killers: Propachlor at 4.7 kg in 24.7 l. Pyrazon at 1.12 kg with chlorbufam at 0.91 kg in 24.7 l.

Cultivations, etc.: Ploughed: 3 Sept, 1970. Deep-tine cultivated, field bean stems applied, rotary cultivated: 24 Oct. Dazomet applied, all plots rotary cultivated: 15 Dec. NPK applied: 9 Mar, 1971. Aldicarb applied, all plots rotary cultivated, seed drilled at 6.7 kg: 10 Mar. Propachlor applied: 25 Mar. Hand weeded: 18 May. Pyrazon with chlorbufam applied: 1 June. Hand lifted: 25 Aug. Variety: Robusta. Previous crops: Barley 1969, spring beans 1970.

NOTE: Soil samples were taken in December and August for counts of Ditylenchus dipsaci.

Standard error per plot.
Total weight, tonnes/hectare: 4.64 or 14.7% (18 d.f.)

71/W/CS/64

SUMMARY OF RESULTS

Tl	T2	Т3	Т4	D1	DS	D3	D4	Mean
		TOTAL W	EIGHT:	TONNES	/HECTARI	Ξ		
)			(±2,	.68)				
125.6	22.0	23.5	30.6	36.7	45.7	49.1	53.0	31.5
20.8	16.1	17.3	23.8	31.6	42.3	47.5	51.1	26.9
	9	TOTAL NU	MBER: I	HOUSANI	OS/HECTA	ARE		
506	529	472	636	684	553	485	535	514
) 125.6 20.8	WEIGHT ON 120.8 16.1	TOTAL W 125.6 22.0 23.5 WEIGHT OVER 3.81 120.8 16.1 17.3	TOTAL WEIGHT: (±2, 125.6 22.0 23.5 30.6 WEIGHT OVER 3.81 CM (1, 20.8 16.1 17.3 23.8 TOTAL NUMBER: 1	TOTAL WEIGHT: TONNES, (±2.68) 125.6 22.0 23.5 30.6 36.7 WEIGHT OVER 3.81 CM (1.5 INCH) 20.8 16.1 17.3 23.8 31.6 TOTAL NUMBER: THOUSAND	TOTAL WEIGHT: TONNES/HECTARI (±2.68) 125.6 22.0 23.5 30.6 36.7 45.7 WEIGHT OVER 3.81 CM (1.5 INCH): TONNE 20.8 16.1 17.3 23.8 31.6 42.3 TOTAL NUMBER: THOUSANDS/HECTA	TOTAL WEIGHT: TONNES/HECTARE (±2.68) 125.6 22.0 23.5 30.6 36.7 45.7 49.1 WEIGHT OVER 3.81 CM (1.5 INCH): TONNES/HECTARE 20.8 16.1 17.3 23.8 31.6 42.3 47.5 TOTAL NUMBER: THOUSANDS/HECTARE	TOTAL WEIGHT: TONNES/HECTARE (±2.68) 125.6 22.0 23.5 30.6 36.7 45.7 49.1 53.0 WEIGHT OVER 3.81 CM (1.5 INCH): TONNES/HECTARE 20.8 16.1 17.3 23.8 31.6 42.3 47.5 51.1

^{*} Duplicated level