

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1971

[Full Table of Content](#)



71/R/CS/71 Weedkiller and Aqueous N - Old Grass

Rothamsted Research

Rothamsted Research (1972) *71/R/CS/71 Weedkiller and Aqueous N - Old Grass* ; Yields Of The Field Experiments 1971, pp 215 - 219 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

71/R/CS/71

WEEDKILLER AND AQUEOUS N

Object: To study the effects of a combined spray of liquid nitrogen fertiliser and a hormone weedkiller as a top dressing on old grass - Road Piece.

The second year, old grass.

For previous year see 70/R/G/3(t).

Whole plot dimensions: 1.37 x 2.13. Area harvested: 0.00017.

All treatments were repeated cumulatively on the same plots except the four 1970 additional treatments which were altered to:-

DN2 HR, DN2 H1, DN2 H2, DN2 H3 respectively

where D indicates liquid N fertiliser applied separately before the weedkiller which was applied on the same day, after the foliage had dried. HR indicates dalapon applied 1970 only.

All treatments were applied on 3 occasions in 1971.

Basal applications: 565 kg (0:14:28).

Cultivations, etc.: Basal PK applied: 21 Dec, 1970. Grass lightly topped: 26 Mar, 1971. All treatments applied: 27 Apr. Cut: 26 May. All treatments re-applied: 16 June. Cut: 22 July. All treatments re-applied: 5 Aug. Cut: 14 Oct.

- NOTES: (1) Observations were made of weedkiller scorch and weed control.
(2) The yield of weeds from two blocks was measured at the third cut.
(3) The percentage N in the dry grass was measured.

Standard errors per plot. Dry matter: tonnes/hectare.

1st cut:	0.406 or 11.3% (69 d.f.)
2nd cut:	0.336 or 11.1% (69 d.f.)
3rd cut:	0.310 or 15.1% (69 d.f.)
Total of 3 cuts:	0.661 or 7.6% (69 d.f.)

71/R/CS/71

SUMMARY OF RESULTS

DRY MATTER: TONNES/HECTARE

1ST CUT

	N1	N2	N3	H0	H1	H2	H3	Mean
	(±0.101)			(±0.117)				(±0.059)
S	3.22	4.13	4.65	4.01	4.11	4.08	3.80	4.00
L	2.50	3.25	3.82	3.18	3.50	3.12	2.97	3.19
				(±0.143)				(±0.072)
			N1	2.95	3.00	2.78	2.73	2.86
			N2	3.71	3.88	3.72	3.44	3.69
			N3	4.12	4.53	4.31	3.99	4.24
Mean (±0.083)				3.59	3.80	3.60	3.39	3.60

DN2 HR 3.92
 DN2 H1 3.98 (±0.203)
 DN2 H2 3.42
 DN2 H3 3.22

General mean: 3.60
 Mean D.M. %: 18.1

71/R/CS/71

DRY MATTER: TONNES/HECTARE

2ND CUT

	N1	N2	N3	H0	H1	H2	H3	Mean
	(±0.084)			(±0.097)				(±0.048)
S	2.49	3.43	3.88	3.40	3.25	3.17	3.24	3.26
L	2.05	2.79	3.55	3.08	2.78	2.68	2.65	2.80
				(±0.119)				(±0.059)
			N1	2.41	2.25	2.21	2.22	2.27
			N2	3.25	3.24	2.91	3.03	3.11
			N3	4.06	3.56	3.65	3.58	3.71
Mean (±0.068)				3.24	3.02	2.92	2.94	3.03
		DN2 HR	3.62					
		DN2 H1	3.33	(±0.168)				
		DN2 H2	3.17					
		DN2 H3	2.90					

General mean: 3.06
 Mean D.M. %: 29.3

T1/R/CS/T1

DRY MATTER: TONNES/HECTARE

3RD CUT

	N1	N2	N3	H0	H1	H2	H3	Mean
	(±0.078)				(±0.090)			(±0.045)
S	1.71	2.37	2.52	2.19	2.19	2.18	2.23	2.20
L	1.25	1.98	2.50	2.05	1.80	1.88	1.91	1.91
					(±0.110)			(±0.055)
			N1	1.53	1.53	1.40	1.46	1.48
			N2	2.30	1.98	2.11	2.32	2.18
			N3	2.53	2.49	2.59	2.43	2.51
Mean (±0.063)				2.12	2.00	2.03	2.07	2.06

DN2 HR 2.18
 DN2 H1 2.28 (±0.155)
 DN2 H2 2.42
 DN2 H3 2.29

General mean: 2.09
 Mean D.M. %: 23.2

71/R/CS/71

DRY MATTER: TONNES/HECTARE

TOTAL OF 3 CUTS

	N1	N2	N3	H0	H1	H2	H3	Mean
	(±0.165)			(±0.191)				(±0.095)
S	7.42	9.92	11.05	9.60	9.56	9.43	9.27	9.46
L	5.81	8.02	9.87	8.31	8.08	7.68	7.53	7.90
				(±0.234)				(±0.117)
			N1	6.89	6.78	6.38	6.41	6.62
			N2	9.26	9.10	8.73	8.79	8.97
			N3	10.71	10.57	10.55	10.00	10.46
Mean (±0.135)				8.95	8.82	8.56	8.40	8.68

DN2 HR 9.72
 DN2 H1 9.59 (±0.330)
 DN2 H2 9.01
 DN2 H3 8.41

General mean: 8.75
 Mean D.M. %: 23.5