


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1971

[Full Table of Content](#)



## 71/R/PG/5 Park Grass - Hay

### Rothamsted Research

Rothamsted Research (1972) 71/R/PG/5 Park Grass - Hay ; Yields Of The Field Experiments 1971, pp 23 - 24 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

71/R/PG/5

PARK GRASS

Object: To study the effects of organic and inorganic manures on permanent grass (for hay). The effects of liming are also studied.

The 116th year, hay.

For previous years see 'Details' 1967, 68/A/6(t) and 69-70/R/PG/5.

Cultivations, etc.: Mineral fertilisers applied, fish meal applied: 10 Nov, 1970. N applied: 1st dressing - 30 Mar, 1971, 2nd dressing - 19 Apr. Cut twice: 24 June, 15 Sept.

71/R/PG/5

SUMMARY OF RESULTS

DRY MATTER: TONNES/HECTARE

Plot	1st cut				2nd cut				Total of 2 cuts				Mean		
	a	b	c	d	Mean	a	b	c	d	a	b	c	d		
1	2.49	2.26	1.66	0.52	1.73	1.43	1.32	0.50	0.48	0.93	3.92	3.57	2.16	1.00	2.66
2	1.78	1.71	1.74	1.50	1.74	1.17	1.00	0.83	1.02	1.01	2.95	2.72	2.56	2.75	2.75
3	1.61	1.80	1.59	1.50	1.62	0.84	0.86	0.82	0.83	0.83	2.44	2.66	2.40	2.33	2.46
4-1	2.26	2.25	2.09	2.15	2.19	1.19	1.18	1.14	1.12	1.16	3.45	3.43	3.24	3.27	3.35
4-2	3.41	3.41	3.99	3.21	3.50	1.19	1.18	0.88	1.19	1.11	4.60	4.59	4.88	4.40	4.62
7	5.57	5.38	2.97	3.49	4.35	3.66	3.58	2.00	1.81	2.76	9.23	8.97	4.97	5.30	7.12
8	2.52	2.34	2.80	2.71	2.59	1.53	1.30	1.47	1.47	1.44	4.05	3.64	4.27	4.18	4.04
9	6.94	7.03	7.66	5.93	6.89	2.93	2.79	1.62	1.03	2.09	9.87	9.82	9.28	6.96	8.98
10	4.54	4.74	5.09	3.99	4.59	1.55	1.50	1.34	1.17	1.39	6.09	6.24	6.43	5.16	5.98
11-1	7.52	7.68	9.10	7.57	7.97	2.97	2.32	2.52	3.01	2.70	10.49	10.00	11.62	10.58	10.67
11-2	7.45	7.99	7.17	7.90	7.63	3.88	3.56	2.35	2.48	3.07	11.32	11.56	9.53	10.38	10.70
12	2.35	2.94	1.52	1.52	2.64	1.52	1.18	1.18	1.18	1.35	3.87	4.12	4.00		
13	5.37	5.50	5.00	4.46	5.08	3.24	2.99	2.31	1.96	2.62	8.61	8.49	7.30	6.42	7.71
14	6.37	5.07	6.16	6.45	6.01	1.10	2.53	3.17	3.38	2.54	7.47	7.60	9.33	9.83	8.56
15	4.80	2.57	3.68	2.85	3.68	2.85	2.85	1.44	1.44	2.14	7.65	7.65	4.00		5.83
16	5.36	5.48	4.42	4.26	4.88	2.59	2.73	2.22	1.88	2.36	7.95	8.21	6.64	6.14	7.24
17	2.52	2.46	3.01	3.05	2.76	1.34	1.26	1.34	1.56	1.38	3.85	3.72	4.36	4.61	4.14
18-1			3.92	1.69	2.80			1.40	0.93	1.17			5.32	2.62	3.97
18-2			3.02							1.98					5.00
18-3	3.58	3.61			3.60			1.89	1.98	1.94	5.48	5.60			5.54
19-1					4.54					2.58					7.12
19-2					5.45					3.16					8.61
19-3					5.07					2.78					7.85
20-1					5.98					2.87					8.85
20-2					5.62					2.32					7.94
20-3					5.52					2.46					7.98

Mean D.M. %: 1st cut: 24.4

2nd cut: 26.2

Total of 2 cuts: 25.3