


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1971

[Full Table of Content](#)



## 71/R/AG/6 Agdell - Barley, Potatoes

Rothamsted Research

Rothamsted Research (1972) 71/R/AG/6 *Agdell - Barley, Potatoes ; Yields Of The Field Experiments 1971*, pp 25 - 29 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

71/R/AG/6

AGDELL

Object: To study, by crop yields and soil analysis, the residual value of phosphate applied in the period 1848 - 1951 and further dressings in 1964.

The second year of revised scheme. Rotation: Sugar beet, barley, potatoes. Crops in 1971: Barley and potatoes.

For previous years see 'Details' 1967, 68/A/4, 69/R/AG/6 and 70/R/AG/6(t).

Sub plot dimensions:

Fallow: Plots 1, 2, 3, 4 - 12.1 x 6.04. Plots 5, 6 - 10.9 x 6.04.  
Barley and potatoes: Plots 1, 2, 3, 4 - 6.04 x 3.02. Plots 5, 6 - 5.43 x 3.02.

Area harvested: Barley: 0.00066, potatoes: 0.00069.

The remaining grass sub plots were rotary cultivated in autumn 1970 and bare-fallowed in 1971.

New superphosphate treatments:

Barley: As 1970.

Potatoes: None (0), 188 kg (3) P2O5 as single superphosphate.

Standard applications:

Barley: Manures as 1970.

Potatoes: Manures: 251 kg N, 251 kg K2O, 100 kg MgO as 'Nitro-Chalk' 21, muriate of potash and kieserite. Weedkillers: Linuron at 0.84 kg plus paraquat at 0.84 kg ion in 449 l. Couch was spot-sprayed with paraquat. Fungicide: Mancozeb at 1.34 kg in 449 l on 3 occasions, followed by captafol at 1.68 kg in 449 l on one occasion. Insecticide: Menazon ('Saphicol' at 0.7 l) applied with each application of fungicide.

Cultivations, etc.:

Grass and fallow: Grass plots rotary cultivated: 21 Oct, 1970. All fallows sprayed with paraquat at 1.12 kg ion in 225 l: 6 Nov.

All fallows rotary cultivated: 21 Apr, 1971, 11 May, 2 June.

Barley: Ploughed: 29 Oct, 1970. Test P applied, seed drilled at 168 kg, basal NK applied: 10 Mar, 1971. Combine harvested: 9 Aug. Variety: Julia.

Potatoes: Ploughed: 29 Oct, 1970. Test P, basal NK and Mg applied, plots rotary cultivated, potatoes planted: 5 Apr, 1971. Linuron and paraquat applied: 10 May. Couch spot sprayed with paraquat: 2 June. Insecticide and fungicide applied: 16 June, 6 and 28 July, 18 Aug. Lifted 28 Sept. Variety: King Edward.

71/R/AG/6

SUMMARY OF RESULTS

BARLEY

GRAIN: TONNES/HECTARE

Plot

Treatment 1848-1951	5 None	6	3 PK	4	1 NPK	2	Mean
P	Previous cropping 1958-69, Arable or fallow						
1964 1970-71	0 0	3.06	4.06	5.43	4.09	3.30	4.08
	1 0	4.10	3.03	5.33	4.42	3.44	4.41
	2 0	4.79	4.79	5.37	4.86	3.87	4.84
	4 0	4.60	5.55	5.74	5.58	3.69	5.31
	0 1	4.38	4.95	5.09	4.31	2.73	5.00
	1 1	4.72	4.76	5.44	4.39	4.34	5.13
	2 1	5.49	4.91	5.56	5.37	3.73	4.53
	4 1	5.87	5.51	5.91	5.54	4.65	5.04
Mean		4.63	4.70	5.48	4.82	3.72	4.79
P	Previous cropping 1958-69, Grass						
1964-69 1970	0 0	2.99	3.25	3.35	4.00	5.39	4.85
	1 0	5.30	6.34	6.35	5.46	6.05	6.20
	2 0	6.17	6.15	6.16	6.16	5.72	6.04
	4 0	5.86	6.52	6.48	6.72	6.17	5.80
	0 1	4.96	5.88	5.61	5.34	5.64	5.67
	1 1	6.13	6.25	6.58	6.53	6.27	6.21
	2 1	6.22	6.44	6.19	6.16	6.21	6.38
	4 1	6.12	6.73	6.20	5.96	5.98	5.97
Mean		5.47	5.95	5.87	5.79	5.93	5.89

Mean D.M. %: 78.0

71/R/AG/6

BARLEY

STRAW: TONNES/HECTARE

Plot

Treatment 1848-1951	5 None	6	3 PK	4	1 NPK	2	Mean
P	Previous cropping 1958-69, Arable or fallow						
1964 1970-71							
0 0	2.14	2.72	4.00	2.72	2.35	2.85	2.80
1 0	3.16	2.20	3.59	2.85	2.55	2.77	2.85
2 0	3.60	3.27	3.62	3.28	2.69	3.18	3.27
4 0	3.37	4.25	3.80	3.67	2.58	3.26	3.49
0 1	3.16	4.05	3.73	2.85	2.23	3.58	3.27
1 1	3.59	3.39	3.81	3.00	3.11	3.27	3.36
2 1	3.89	3.55	3.72	3.92	2.67	3.06	3.47
4 1	4.22	4.38	4.04	3.99	3.17	3.02	3.80
Mean	3.39	3.48	3.79	3.28	2.67	3.12	3.29
P	Previous cropping 1958-69, Grass						
1964-69 1970							
0 0	1.85	2.30	2.29	2.64	4.04	3.36	2.75
1 0	3.83	4.76	4.90	3.95	4.16	4.12	4.29
2 0	4.62	4.71	4.35	4.84	4.45	4.62	4.60
4 0	4.90	5.27	5.36	5.58	4.43	4.34	4.98
0 1	3.60	4.23	4.22	4.30	4.32	4.33	4.17
1 1	4.70	4.88	5.02	5.35	4.32	4.76	4.84
2 1	4.91	5.14	4.49	5.31	4.68	4.42	4.83
4 1	4.69	5.23	5.01	5.12	4.65	4.55	4.87
Mean	4.14	4.56	4.46	4.64	4.38	4.31	4.41

Mean D.M. %: 61.2

71/R/AG/6

POTATOES

TOTAL TUBERS: TONNES/HECTARE

Plot

Treatment 1848-1951	P	5	6	3	4	1	2	Mean
		None	PK	NPK				
Previous cropping 1958-69, Arable or fallow								
1964 1970-71	0 0	26.6	28.4	31.8	28.8	30.6	24.9	28.5
	1 0	29.0	27.7	38.1	33.1	37.9	26.8	32.1
	2 0	31.8	33.1	36.2	31.4	34.3	28.6	32.6
	4 0	31.8	30.6	38.7	34.7	38.1	34.2	34.7
	0 1	37.7	37.4	29.9	28.3	38.1	19.6	31.8
	1 1	29.8	31.8	42.7	36.1	40.4	25.0	34.3
	2 1	39.6	34.4	47.1	40.5	41.7	36.8	40.0
	4 1	41.2	35.7	44.6	38.8	43.6	41.2	40.8
Mean		33.4	32.4	38.6	34.0	38.1	29.6	34.4
Previous cropping 1958-69, Grass								
1964-69 1970	P	22.6	16.9	27.9	24.8	46.9	30.5	28.3
	0 0	32.5	40.0	33.9	32.2	44.7	40.9	37.4
	1 0	40.6	42.5	38.2	40.7	42.4	44.6	41.5
	4 0	37.5	35.2	46.2	38.4	39.9	39.4	39.4
	0 1	34.6	37.2	43.2	42.4	47.4	45.9	41.8
	1 1	39.7	46.2	45.9	36.9	45.9	43.2	43.0
	2 1	39.7	42.7	44.1	41.3	48.6	49.8	44.4
	4 1	45.9	42.6	49.4	35.4	52.8	47.7	45.6
Mean		36.7	37.9	41.1	36.5	46.1	42.7	40.2

71/R/AG/6

POTATOES

% WARE: 4.44 CM (1.75 INCH) RIDDLE

Plot

Treatment 1848-1951	5 None	6 PK	3 PK	4 NPK	1 NPK	2	Mean
P	Previous cropping 1958-69, Arable or fallow						
1964 1970-71							
0 0	57.9	63.6	57.9	67.3	56.6	47.0	58.4
1 0	59.7	59.5	67.2	61.6	62.6	55.7	61.1
2 0	65.7	56.4	49.7	62.0	62.4	58.9	59.2
4 0	53.7	58.1	63.6	70.6	58.9	40.0	57.5
0 1	62.0	68.7	47.1	59.4	61.7	43.1	57.0
1 1	72.2	59.2	66.0	65.7	57.6	41.1	60.3
2 1	62.5	61.6	56.4	72.0	56.9	51.4	60.1
4 1	55.2	76.6	59.1	67.3	52.9	42.0	58.8
Mean	61.1	63.0	58.4	65.7	58.7	47.4	59.0
P	Previous cropping 1958-69, Grass						
1964-69 1970							
0 0	52.3	54.8	63.9	58.9	67.3	59.3	59.4
1 0	61.7	67.5	68.3	59.4	65.7	62.8	64.3
2 0	68.9	70.5	56.4	62.5	61.5	66.1	64.3
4 0	59.6	61.5	72.3	65.2	61.5	61.7	63.6
0 1	59.0	70.1	63.9	76.9	67.9	63.4	66.9
1 1	67.0	63.6	65.0	64.3	64.4	52.5	62.8
2 1	68.9	71.0	58.5	57.3	63.7	55.7	62.5
4 1	65.3	63.5	65.0	49.2	54.9	60.2	59.7
Mean	62.8	65.3	64.2	61.7	63.4	60.2	62.9