

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1971

[Full Table of Content](#)



### 71/R/BE/6 Varieties and Broad *bean* Stain Virus - Beans

#### Rothamsted Research

Rothamsted Research (1972) *71/R/BE/6 Varieties and Broad bean Stain Virus - Beans* ; Yields Of The Field Experiments 1971, pp 308 - 309 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

71/R/BE/6

SPRING BEANS

VARIETIES AND BROAD BEAN STAIN VIRUS

Object: To study the susceptibility of different varieties and sources of beans to broad bean stain virus and to compare yields - Long Hoos I and II.

Design: 4 randomised blocks of 13 plots.

Whole plot dimensions: 4.05 x 15.2. Area harvested: 0.00464.

Treatments: Varieties:

Blue Rock	(BR)
Francks Ackerperle	(FA)
F1 hybrid 6 x S45	(F1)
Herz Freya	(HF)
Maxime	(MA)
Maris Bead: Cambridge stock	(MBC)
Cheshire stock	(MBN)
Rothamsted stock	(MBR)
Lincolnshire stock	(MBL)
Minor	(MI)
Ostlers	(OS)
Tarvin	(TA)
Throws MS	(TH)

Basal applications: 7530 kg ground chalk. 405 kg (0:14:28) applied by Tume drill across plots. Weedkiller: Dinoseb acetate at 2.7 kg in 426 l. Insecticide: Demeton-s-methyl at 245 g in 438 l. Irrigation: 25.4 mm (1 inch).

Cultivations, etc.: Chalk applied: 7 Sept, 1970. Ploughed: 29 Sept. Basal PK applied: 24 Feb, 1971. Seed drilled at 224 kg: 11 Mar. Weedkiller applied: 11 May. Irrigated: 15 May. Insecticide applied: 3 July. Combine harvested: 9 Sept. Previous crops: Winter wheat 1969, spring wheat 1970.

NOTE: Incidence of virus was recorded on all plots. Aphid and weevil infestations were recorded. The dinoseb acetate spray severely scorched all plants and probably affected yield.

Standard error per plot:

Grain, tonnes/hectare: 0.187 or 9.5% (36 d.f.)

71/R/BE/6

SUMMARY OF RESULTS

GRAIN: TONNES/HECTARE

	BR	FA	FL	HF	MA	MBC	MBN	MBR	MBL	MI	OS	TA	TH	Mean
	1.87	1.82	2.04	1.86	2.06	1.94	2.07	2.00	2.05	2.13	2.01	1.97	1.90	1.98
	(±0.094)													

Mean D.M.%: 85.6