

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1971

[Full Table of Content](#)



Contents 1971

Rothamsted Research

Rothamsted Research (1972) *Contents 1971* ; Yields Of The Field Experiments 1971, pp 3 - 6 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

STATISTICAL
DEPARTMENT

CONTENTS 1971

PAGE

CONVENTIONS

7

EXPERIMENTS

CLASSICALS

| | | | |
|-----------------|------------------------------|--------|----|
| Broadbalk | Potatoes, beans, wheat | R/BK/1 | 9 |
| Hoosfield | Potatoes, beans, barley | R/HB/2 | 14 |
| Wheat & Fallow | Wheat | R/WF/3 | 21 |
| Exhaustion Land | Barley | R/EX/4 | 22 |
| Park Grass | Hay | R/PG/5 | 23 |
| Agdell | Barley, potatoes | R/AG/6 | 25 |
| Barnfield | Beans, sugar beet, potatoes | R/BN/7 | 30 |
| Garden Clover | Clover | R/GC/8 | 39 |
| Rotation I | Grass, lucerne | S/RN/1 | 40 |
| Rotation II | Sugar beet, potatoes, barley | S/RN/2 | 44 |

ROTATIONS

| | | | |
|--------------------------------|--|----------|-----|
| Ley/Arable | Old grass, leys, barley, wheat | R/RN/1&2 | 50 |
| Ley/Arable | Leys, potatoes, rye, carrots, barley | W/RN/3 | 68 |
| Market Garden | Barley, potatoes | W/RN/4 | 76 |
| Arable Reference Plots | Old grass, barley, ley, potatoes, wheat, kale | R/RN/5 | 80 |
| Arable Reference Plots | Old grass, sugar beet, barley, ley, potatoes, oats | W/RN/6 | 84 |
| Residual Phosphate | Potatoes, barley, swedes | R/RN/7 | 88 |
| Cultivation/Weedkiller | Beans, spring wheat, potatoes, barley | R/RN/8 | 92 |
| Cereal Disease Reference Plots | Winter wheat, spring wheat | R/RN/9 | 99 |
| Irrigation | Potatoes, beans | R/RN/11 | 101 |
| Organic Manuring | Leys, rye | W/RN/12 | 107 |
| Intensive Cereals | Ley, potatoes, wheat, barley | W/RN/13 | 111 |
| Long Term Phosphate | Barley, potatoes | W/RN/14 | 116 |
| Rotation & Fumigation | Potatoes, barley, sugar beet | W/RN/15 | 120 |

CROP SEQUENCES

| | | | |
|------------------------------|-----------|-----------|-----|
| Levels of N & K | Potatoes | R/CS/1 | 125 |
| Grazed Reference Plots | Old grass | R/CS/2 | 128 |
| Wheat after Intensive Barley | Wheat | R/CS/6 | 130 |
| Long Term Liming | Barley | R&W/CS/10 | 132 |
| Soil Structure | Wheat | W/CS/11 | 137 |

R = Rothamsted W = Woburn S = Saxmundham BB = Broom's Barn

STATISTICAL
DEPARTMENT

| CONTENTS 1971 (CONTD.) | | PAGE |
|----------------------------|--|---------------|
| CROP SEQUENCES (continued) | | |
| N & Mg Levels to Old | | |
| Grass | Old grass | R/CS/13 139 |
| NPK to Old Grass | Old grass | R/CS/14 143 |
| Direct Seeding | Wheat | W/CS/15 150 |
| Irrigation & Eelworms | Potatoes | W/CS/16 152 |
| Placement of Fumigant | Potatoes | W/CS/20 156 |
| PK & Take-All | Barley | R/CS/24 158 |
| Fumigants & Irrigation | Barley | W/CS/28 163 |
| Rates of Nematicides | | |
| Dosage | Barley | W/CS/33 166 |
| Nematicides in Crop | | |
| Sequence | Potatoes | W/CS/34 168 |
| Cultivations & Soil | | |
| Invertebrates | Old grass, new grass | R/CS/41 170 |
| Effect of Inverte- | | |
| brates on Yield | Old grass | R/CS/42 172 |
| Aqua Ammonia | Old grass | R/CS/43 174 |
| Break Crops & Wheat | Barley | R/CS/44 178 |
| Fumigant & N | Winter wheat, spring wheat | R&W/CS/49 180 |
| Autumn & Spring | | |
| Fumigants | Potatoes | W/CS/51 184 |
| Fumigants, Temik & N | Spring wheat | W/CS/52 186 |
| Fumigation & N | Beans | W/CS/55 188 |
| Nematodes & | | |
| Verticillium | Potatoes | W/CS/56 190 |
| Crop Sequences & | | |
| Take-All | Spring wheat | R/CS/58 192 |
| Break Crops & Wheat | Wheat | R/CS/59 195 |
| Glycoluril for grass | Ryegrass | W/CS/60 197 |
| Fungicides | Old grass | R/CS/61 199 |
| Nematodes & | | |
| Verticillium | Potatoes | W/CS/63 202 |
| Fumigants & | | |
| Ditylenchus | Onions | W/CS/64 204 |
| Dazomet & Nitrogen | Maize | W/CS/66 206 |
| Much Fertiliser & FYM | Wheat | W/CS/67 208 |
| Ammonium Phosphates | Ryegrass | R/CS/68 210 |
| Early & Late Mildew | Barley | R/CS/69 213 |
| Weedkiller & Aqueous N | Old grass | R/CS/71 215 |
| Break Crops & Wheat | Barley, oats, beans, maize, clover, u/s trefoil | R/CS/74 220 |
| Rates of NPK Fertiliser | Potatoes | R&W/CS/76 223 |
| Much Fertiliser & FYM | Potatoes | W/CS/77 227 |
| Nematodes & | | |
| Verticillium | Potatoes | W/CS/78 229 |
| Chemicals & Scab | Potatoes | W/CS/79 231 |

| CONTENTS 1971 (CONTD.) | PAGE |
|--|--------|
| CROP SEQUENCES (continued) | |
| Row Spacing & Seed Rates after Intensive Wheat | 233 |
| Wheat | S/CS/1 |
| ANNUALS | |
| WINTER WHEAT | |
| Varieties & N | 235 |
| Septoria | 239 |
| Gaines, Seed Rates, N & CCC | 241 |
| Ethrel, Dust & Spray | 243 |
| Weedkiller & Aqueous N | 245 |
| Growth & Yield on Contrasted Sites | 249 |
| Systemic Fungicides | 253 |
| Benomyl & Eyespot | 255 |
| SPRING WHEAT | |
| Ethrel, Dust & Spray | 257 |
| Dwarf Spring Wheat, Varieties, N & CCC | 259 |
| Effects of Blue/Green Algae | 261 |
| BARLEY | |
| Growth & Yield on Contrasted Sites | 263 |
| Varieties, N & Ethirimol | 267 |
| Rates, Forms & Methods of Applying N | 271 |
| Control of Cereal Aphids & BYDV | 274 |
| Weedkiller & Aqueous N | 276 |
| Seed Rates, Row Spacing & Ethirimol | 279 |
| Times of Applying Ethirimol | 281 |
| Ethrel, Dust & Spray | 283 |
| Systemic Fungicides | 285 |
| Methods of Applying Systemic Fungicides | 287 |
| Early & Late Mildew | 289 |
| Methods of Applying NPK | 291 |
| Varieties, N Rates & Times of Application | 293 |
| N Rates After Grass & Arable | 296 |
| BEANS | |
| Chemical Control of Soil-Borne Pathogens | 298 |
| Control of Sitona | 300 |
| Effects of Sitona on Yield | 302 |
| Control of Vectors & Viruses | 304 |
| Effects of Aphids | 306 |

| CONTENTS 1971 (CONTD.) | PAGE |
|---|------------|
| BEANS (continued) | |
| Varieties & Broad Bean Stain Virus | R/BE/6 308 |
| Row Spacing, Drills & Weedkillers | R/BE/7 310 |
| Photosynthetic Zones | R/BE/8 312 |
| Seed Rates, Row Spacing & Growth Regulators | R/BE/9 314 |
| POTATOES | |
| Seed Stocks, Diseases & Fungicides | R/P/1 316 |
| Seed Stocks, Diseases & Fungicides | W/P/1 319 |
| Chemicals & Seed-Borne Fungi | R/P/2 322 |
| Spacing, Seed Size & Fertiliser | R/P/10 324 |
| Blight & Aphid Reference Plots | R/P/11 328 |
| Comparison of Fungicides | R/P/13 331 |
| Ethrel and N | R/P/15 333 |
| SWEET CORN | |
| Seed Spacing & N | R/SC/1 335 |
| KALE | |
| Virus Control | R/K/1 336 |
| BRUSSELS SPROUTS | |
| Aphids & Virus | R/BS/1 338 |
| SUGAR BEET | |
| Ethrel & Pre-treatment | R/SB/1 339 |
| GRASS | |
| Weedkiller & Aqueous N | R/G/1 341 |
| MIXED CROPS | |
| NP Fertiliser (Phenylphosphonic acid) for barley | R/M/4 346 |
| Amidophosphates for barley (resown with ryegrass), potatoes and kale | R/M/5 348 |
| MISCELLANEOUS DATA | |
| Meteorological records Rothamsted, Woburn & Saxmundham | E/1 352 |
| CONVERSION FACTORS | |