


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1971

[Full Table of Content](#)



71/W/RN/4 Market Garden - Barley, Potatoes

Rothamsted Research

Rothamsted Research (1972) *71/W/RN/4 Market Garden - Barley, Potatoes ; Yields Of The Field Experiments 1971*, pp 76 - 79 - DOI: <https://doi.org/10.23637/ERADOC-1-97>

71/W/RN/4

MARKET GARDEN

Object: To study direct and residual effects of phosphate, applied either as fertiliser or in organic manures in the period 1942 - 67, on yields of three crops grown in rotation - Woburn Lansome I.

The second year of revised scheme, barley and potatoes.

For previous years see 'Details' 1967, 68/B/4(t), 69/W/RN/4 and 70/W/RN/4(t).

Whole plot dimensions: 8.53 x 5.18. Area harvested: 0.00074.

Superphosphate treatments (applied to whole plots with confounding of certain two and three factor interactions):-

Series A: Barley: None (0), 63 kg P2O5 (P)
Series B: Potatoes: None (0), 188 kg P2O5 (P)

Basal applications:-

Series A: Barley: Manures: 2510 kg ground chalk. 100 kg muriate of potash (60% K2O), 290 kg 'Nitro-Chalk' 21. Weedkiller: Ioxynil at 0.53 kg and mecoprop at 1.58 kg in 281 l.
Series B: Potatoes: Manures: 2510 kg ground chalk. 417 kg muriate of potash (60% K2O), 1345 kg 'Nitro-Chalk' 21, 605 kg Epsom salts (16% MgO). Weedkiller: Linuron at 1.12 kg in 371 l. Fungicide with insecticide: Mancozeb at 1.34 kg plus demeton-s-methyl at 245 g in 416 l. Fungicide: Mancozeb at 1.34 kg in 371 l.

Cultivations, etc.:

Series A: Barley: Ground chalk applied: 13 Nov, 1970. Ploughed: 14 Nov. N and K applied: 1 Mar, 1971. P treatments applied: 3 Mar. Seed drilled at 157 kg: 17 Mar. Weedkiller applied: 30 Apr. Combine harvested: 16 Aug. Variety: Julia.
Series B: Potatoes: Ground chalk applied, ploughed: 11 Sept, 1970. Deep-tine cultivated: 21 Oct. N, K and Mg applied: 30 Mar, 1971. P treatments applied, rotary cultivated, potatoes planted: 31 Mar. Weedkiller applied: 5 May. Rotary ridged: 1 June. Fungicide with insecticide applied: 28 June. Fungicide applied: 12 Aug. Haulm mechanically destroyed: 17 Sept. Sprayed with undiluted BOV at 225 l: 20 Sept. Lifted: 28 - 30 Sept. Variety: Pentland Crown.

71/W/RN/4

SUMMARY OF RESULTS

SERIES A

BARLEY

Organic		POKO		PK1		P2K2	
1942-61*	1962-67	O	P	O	P	O	P
GRAIN: TONNES/HECTARE							
O	O			5.70	5.50	4.33	6.05
S1	O					5.58**	6.18**
S2	O					5.38**	5.77**
T1	O					5.68**	5.76**
T2	O					5.61**	5.77**
D1	D1	4.78	5.64	5.65	5.46		
D2	D2	5.81	5.99	6.21	5.82		
C1	D1	5.84	5.77	4.60	6.22		
C2	D2	6.08	6.18	5.84	6.16		

STRAW: TONNES/HECTARE							
O	O			3.62	3.79	2.98	4.25
S1	O					3.95**	4.50**
S2	O					3.90**	3.89**
T1	O					3.56**	4.38**
T2	O					4.24**	3.96**
D1	D1	3.62	4.59	4.31	2.66		
D2	D2	4.26	4.57	4.25	3.96		
C1	D1	4.27	3.87	2.85	4.82		
C2	D2	4.70	4.54	3.91	4.54		

General mean: Grain: 5.67
 Straw: 3.99
 Mean D.M. %: Grain: 76.1
 Straw: 67.2

* Last applied to Leeks 1961/62
 ** PK1 1962-65

71/W/RN/4

SERIES B

POTATOES

Organic			POKO		P1K1		P2K2	
1942-61	1962-64	1966-67	O	P	O	P	O	P

TOTAL TUBERS: TONNES/HECTARE

O	O	O			51.7	50.5	55.6	59.1
O	O	PT			50.8	58.2	59.0	61.7
S1	O	O	56.1*	57.9*				
S2	O	O	57.8*	60.6*				
T1	O	O	57.0*	58.0*				
T2	O	O	60.7*	62.7*				
D1	D1	D1	46.5	60.6	58.8	59.9		
D1	D1	O	49.5	58.3	58.8	56.3		
D2	D2	D2	53.2	62.0	63.5	65.4		
D2	D2	O	52.8	54.3	57.9	56.6		
C1	D1	D1	56.9	59.8	64.3	58.1		
C2	D2	D2	61.4	55.2	59.6	62.5		

% WARE: 3.81 CM (1.5 INCH) RIDDLE

O	O	O			97.2	96.5	96.9	97.1
O	O	PT			97.5	97.8	97.7	97.2
S1	O	O	98.0*	97.9*				
S2	O	O	97.7*	97.2*				
T1	O	O	97.1*	97.0*				
T2	O	O	97.9*	97.5*				
D1	D1	D1	97.4	98.7	96.9	96.4		
D1	D1	O	97.5	97.9	97.6	97.3		
D2	D2	D2	97.1	97.3	96.9	98.4		
D2	D2	O	97.1	98.0	97.6	97.8		
C1	D1	D1	97.2	97.5	97.6	97.1		
C2	D2	D2	97.5	97.1	97.2	97.5		

General mean: Total tubers: 58.1
 % ware: 97.4

* P1K1 1962-64

70/W/RN/4. Replacement for page 81.

70/W/RN/4

SERIES B

BARLEY

1942-61	Organic		POKO		PIK1		P2K2	
	1962-64	1966-67	O	P	O	P	O	P

GRAIN: CWT

O	O	O			37.0	37.1	40.0	37.6
O	O	PT			34.3	30.8	37.3	36.3
S1	O	O	36.3*	37.1*				
S2	O	O	32.1*	37.5*				
T1	O	O	42.2*	39.8*				
T2	O	O	30.0*	38.1*				
D1	D1	D1	35.0	36.9	41.3	31.0		
D1	D1	O	36.0	36.7	38.3	37.3		
D2	D2	D2	40.2	38.0	41.1	41.0		
D2	D2	O	45.5	36.4	39.3	42.1		
C1	D1	D1	38.3	42.3	43.1	44.8		
C2	D2	D2	35.0	36.6	37.4	41.4		

STRAW: CWT

O	O	O			20.2	16.1	20.7	18.2
O	O	PT			18.4	20.2	19.5	19.7
S1	O	O	20.4*	17.1*				
S2	O	O	15.2*	18.3*				
T1	O	O	22.9*	18.6*				
T2	O	O	18.0*	20.1*				
D1	D1	D1	18.7	17.7	18.9	16.3		
D1	D1	O	14.3	16.7	25.5	16.3		
D2	D2	D2	13.1	15.7	18.8	18.8		
D2	D2	O	27.2	12.7	19.7	21.0		
C1	D1	D1	18.6	20.5	23.1	22.7		
C2	D2	D2	18.2	17.9	20.4	22.3		

General mean: Grain: 37.9
 Straw: 19.1
 Mean D.M. %: Grain: 84.0
 Straw: 78.4

* PIK1 1962-64