

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1972

[Full Table of Content](#)



72/W/RN/14 Long Term Phosphate - Potatoes, Sugar Beet

Rothamsted Research

Rothamsted Research (1973) *72/W/RN/14 Long Term Phosphate - Potatoes, Sugar Beet* ; Yields Of The Field Experiments 1972, pp 119 - 124 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/W/RN/14

LONG TERM PHOSPHATE

Object: To study direct and residual effects of superphosphate on yields of three crops grown in rotation - Woburn Stackyard III.

Sponsor: G.E.G. Mattingly.

The fifth year, potatoes, sugar beet.

For previous years see 68/B/8(t), 69/W/RN/14, 70/W/RN/14(t) and 71/W/RN/14(t).

Design: 6 blocks of 6 plots, split into 2.

Whole plot dimensions: 8.53 x 15.8. Area harvested: Potatoes - 0.00451, sugar beet - 0.00130.

Treatments:

Sub plots: Superphosphate:

Potatoes: None (0), 188 kg P₂O₅ (P).

Sugar beet: None (0), 126 kg P₂O₅ (P).

Basal applications:

Potatoes: Manures: 2.5 tonnes ground chalk, 270 kg K₂O as muriate of potash in autumn, 250 kg K₂O as muriate of potash in spring, 250 kg N as 'Nitro-Chalk', 100 kg MgO as Epsom salts.

Weedkiller: Linuron at 1.1 kg with paraquat at 0.4 kg ion in 370 l. Fungicide: Mancozeb at 1.3 kg in 430 l. Fungicide with insecticide: Mancozeb at 1.3 kg plus demeton-s-methyl at 0.25 kg in 430 l.

Sugar beet: Manures: 2.5 tonnes of ground chalk, 370 kg K₂O as muriate of potash in autumn, 190 kg N plus 120 kg K₂O as (25:0:16), 100 kg MgO as Epsom salts, 6.8 kg B₂O₃ as 'Solubor' in 400 l. Weedkiller: Phenmedipham at 1.1 kg in 280 l. Insecticide: Demeton-s-methyl at 0.5 kg in 280 l.

Seed: Potatoes: Pentland Crown. Sugar beet: Klein E, sown at 6 kg.

Cultivations, etc.:

Potatoes: Ground chalk applied: 4 Oct, 1971. K applied: 11 Oct.

Ploughed: 28 Oct. P applied: 7 Apr, 1972. Mg applied:

13 Apr. K and N applied: 17 Apr. Rotary cultivated, potatoes

72/W/RN/14

planted: 19 Apr. Weedkiller applied: 11 May. Rotary ridged:
19 June. Fungicide applied: 5 July. Fungicide with insecticide
applied: 27 July. Sprayed with undiluted BOV at 200 l:
22 Sept. Haulm mechanically destroyed: 27 Sept. Lifted:
28 - 29 Sept.

Sugar beet: Ground chalk applied: 4 Oct, 1971. Deep-tine
cultivated: 7 Oct. K applied: 11 Oct. Deep-tine cultivated:
3 Nov. Ploughed: 11 Nov. N, K and P applied: 22 Mar, 1972.
Mg applied, power harrowed, seed drilled: 24 Mar. Weedkiller
applied: 3 May. Singled: 23 - 26 May. Boron spray applied:
9 June. Insecticide applied: 29 June. Lifted: 6 - 9 Nov.

Standard errors per plot.

Potatoes: Total tubers, tonnes/hectare:

Whole plot: 1.71 or 4.6% (11 d.f.)

Sub plot: 2.35 or 6.3% (13 d.f.)

Sugar beet: Roots, (washed), tonnes/hectare:

Whole plot: 3.21 or 8.9% (11 d.f.)

Sub plot: 2.18 or 6.1% (13 d.f.)

Total sugar, tonnes/hectare:

Whole plot: 0.556 or 8.7% (11 d.f.)

Sub plot: 0.400 or 6.3% (13 d.f.)

Tops, tonnes/hectare:

Whole plot: 3.82 or 14.3% (11 d.f.)

Sub plot: 3.54 or 13.3% (13 d.f.)

72/W/RN/14

TABLES OF MEANS

POTATOES

RESIDUAL P (R)

	0*	1	2	4	6	Mean
TOTAL TUBERS: TONNES/HECTARE						
ANNUAL P (A)						
O	32.1	34.4	38.4	41.1	39.0	36.2
P	37.3	39.1	40.5	39.7	35.9	38.3
Mean	34.7	36.7	39.4	40.4	37.5	37.2

STANDARD ERRORS OF DIFFERENCES

	R	A	R A
Between any of R1, 2, 4 or 6	1.40	0.78	1.95
R0 v any of R1, 2, 4 or 6	1.21		1.69
Unless same level of R			
R1, 2, 4 or 6			1.92
R0			1.36

PERCENTAGE WARE: 3.81 CM (1.5 INCH) RIDDLE

ANNUAL P (A)						
O	98.4	98.6	98.9	98.2	97.5	98.3
P	97.6	97.8	96.8	96.2	97.0	97.2
Mean	98.0	98.2	97.8	97.2	97.3	97.8

* Duplicated treatment

72/W/RN/14

SUGAR BEET

ANNUAL P (A)	RESIDUAL P (R)					Mean
	0*	1	2	4	6	
ROOTS (WASHED): TONNES/HECTARE						
O	35.4	36.1	36.5	37.6	35.4	36.1
P	35.0	36.5	36.2	35.0	36.8	35.8
Mean	35.2	36.3	36.4	36.3	36.1	35.9

STANDARD ERRORS OF DIFFERENCES

	R	A	R A
Between any of R1, 2, 4 or 6	2.62	0.73	2.91
RO v any of R1, 2, 4 or 6	2.27		2.52
Unless same level of R			
R1, 2, 4 or 6			1.78
RO			1.26

ANNUAL P (A)	SUGAR %					
O	17.8	17.7	17.8	18.0	17.7	17.8
P	17.8	17.9	17.6	17.8	17.6	17.8
Mean	17.8	17.8	17.7	17.9	17.7	17.8

* Duplicated treatment

72/W/RN/14

SUGAR BEET

ANNUAL P (A)	RESIDUAL P (R)					Mean
	0*	1	2	4	6	
TOTAL SUGAR: TONNES/HECTARE						
0	6.30	6.39	6.49	6.76	6.27	6.42
P	6.23	6.54	6.39	6.22	6.47	6.35
Mean	6.27	6.47	6.44	6.49	6.37	6.38

STANDARD ERRORS OF DIFFERENCES

	R	A	R A
Between any of R1, 2, 4 or 6 R0 v any of R1, 2, 4 or 6	0.454	0.133	0.509
	0.393		0.441
Unless same level of R R1, 2, 4 or 6 R0			0.327
			0.231

* Duplicated treatment

72/W/RN/14

SUGAR BEET

	RESIDUAL P (R)					Mean
	0*	1	2	4	6	
ANNUAL P (A)	TOPS: TONNES/HECTARE					
0	25.2	26.3	25.8	27.2	26.3	26.0
P	26.9	27.2	27.9	28.6	26.5	27.3
Mean	26.0	26.7	26.9	27.9	26.4	26.7

STANDARD ERRORS OF DIFFERENCES

	R	A	R A
Between any of R1, 2, 4 or 6	3.12	1.18	3.73
RO v any of R1, 2, 4 or 6	2.70		3.23
Unless same level of R			
R1, 2, 4 or 6			2.89
RO			2.05

* Duplicated treatment