

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1972

[Full Table of Content](#)



72/R/CS/10 and 72/W/CS/10 Long Term Liming - Barley

Rothamsted Research

Rothamsted Research (1973) *72/R/CS/10 and 72/W/CS/10 Long Term Liming - Barley* ; Yields Of The Field Experiments 1972, pp 137 - 141 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/R/CS/10 and 72/W/CS/10

LONG TERM LIMING

Object: To study the effects of different amounts of lime on the yields of a range of crops. The effects of P and K are also studied - Rothamsted (R) Sawyers I and Woburn (W) Stackyard C.

Sponsors: J. Bolton, D.B. Slope.

The eleventh year - barley.

For previous years see 'Details' 1967, 68/C/3(t) and 69-71/R&W/CS/10.

Whole plot dimensions: 6.40 x 18.3. Area harvested: Sawyers I (R): 0.00512. Stackyard C (W): 0.00516.

Basal applications:

Sawyers I (R): 90 kg N as 'Nitro-Chalk' combine drilled.
Weedkillers: Paraquat at 0.56 kg ion in 220 l. Ioxynil, bromoxynil, 2,4-DP and MCPA ('Tetroxone' at 5.6 l in 220 l).
Stackyard C (W): 130 kg N as 'Nitro-Chalk' broadcast before sowing. Weedkiller: Paraquat at 0.56 kg ion in 280 l.

Seed: Sawyers I (R): Julia (dressed with ethirimol) sown at 160 kg.
Stackyard C (W): Julia (dressed with ethirimol) sown at 150 kg.

Cultivations, etc.:-

Sawyers I (R): Paraquat applied: 9 Sept, 1971. Ploughed: 11 Nov. P and K applied, seed combine drilled: 20 Mar, 1972. 'Tetroxone' applied: 17 May. CAD plots cut and carted, because the crop had failed and plots were very weedy. CAD plots rotary cultivated twice: 3 July, 11 July. Combine harvested: 24 Aug.
Stackyard C (W): Paraquat applied: 9 Sept, 1971. Ploughed: 27 Oct. N, P and K applied: 14 Mar, 1972. Seed drilled: 15 Mar. CAD plots cut and carted, because the crop had failed and plots were very weedy: 3 July. CAD plots rotary cultivated three times: 4 July, 18 July, 31 July. Combine harvested: 15 Aug.

Standard errors per plot. Grain, tonnes/hectare:

Sawyers I (R): 1.130 or 25.8% (11 d.f.)
Stackyard C (W): 0.371 or 7.0% (11 d.f.)

72/R/CS/10 and 72/W/CS/10

TABLES OF MEANS

SAWYERS I (R)

GRAIN: TONNES/HECTARE

	2	CA 4	8	Mean
Mean	3.67	4.55	4.90	4.37
P				
0	2.72	3.92	4.23	3.62
1	4.63	5.19	5.56	5.12
K				
0	3.38	4.14	4.26	3.93
1	3.96	4.97	5.54	4.82

	P	
	0	1
K		
0	3.34	4.51
1	3.90	5.74

K	2		CA 4		8	
	0	1	0	1	0	1
P						
0	3.09	2.35	3.51	4.33	3.43	5.03
1	3.68	5.57	4.77	5.61	5.08	6.05

STANDARD ERRORS OF DIFFERENCES

CA	P	K	CA P	CA K	P K	CA P K
0.565	0.461	0.461	0.799	0.799	0.653	1.130

Mean D.M. %: 80.7

72/R/CS/10 and 72/W/CS/10

SAWYERS I (R)

STRAW: TONNES/HECTARE

	2	CA 4	8	Mean
Mean	3.28	4.32	4.75	4.12
P				
0	2.36	3.93	4.20	3.50
1	4.19	4.71	5.30	4.73
K				
0	2.83	3.89	4.19	3.64
1	3.73	4.74	5.31	4.59

	P	
	0	1
K		
0	3.18	4.10
1	3.82	5.37

K	2		CA 4		8	
	0	1	0	1	0	1
P						
0	2.51	2.22	3.55	4.31	3.47	4.93
1	3.15	5.24	4.24	5.17	4.91	5.69

Mean D.M. %: 86.8

72/R/CS/10 and 72/W/CS/10

STACKYARD C (W)

GRAIN: TONNES/HECTARE

	2	CA 4	8	Mean
Mean	4.81	5.28	5.83	5.31
P				
0	4.53	4.97	5.75	5.09
1	5.09	5.59	5.91	5.53
K				
0	4.25	5.19	5.43	4.96
1	5.37	5.37	6.23	5.66

	P	
	0	1
K		
0	4.89	5.03
1	5.28	6.03

K	2		CA 4		8	
	0	1	0	1	0	1
P						
0	4.32	4.74	4.96	4.98	5.38	6.12
1	4.18	5.99	5.42	5.76	5.47	6.35

STANDARD ERRORS OF DIFFERENCES

CA	P	K	CA P	CA K	P K	CA P K
0.186	0.152	0.152	0.263	0.263	0.214	0.371

Mean D.M. %: 81.9

72/R/CS/10 and 72/W/CS/10

STACKYARD C (W)

STRAW: TONNES/HECTARE

	2	CA 4	8	Mean
Mean	3.52	3.84	4.25	3.87
P O 1	3.00 4.04	3.53 4.14	4.20 4.31	3.57 4.17
K O 1	3.01 4.03	3.55 4.13	3.99 4.52	3.51 4.22

	P	
	0	1
K O 1	3.31 3.84	3.72 4.61

	CA					
	2		4		8	
	0	1	0	1	0	1
P O 1	2.70 3.32	3.29 4.76	3.32 3.77	3.74 4.51	3.90 4.08	4.49 4.55

Mean D.M. %: 88.6