

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1972

[Full Table of Content](#)



## 72/W/CS/89 Dazomet and Organic Matter - Potatoes

### Rothamsted Research

Rothamsted Research (1973) *72/W/CS/89 Dazomet and Organic Matter - Potatoes* ; Yields Of The Field Experiments 1972, pp 245 - 247 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/W/CS/89

DAZOMET AND ORGANIC MATTER

Object: To study the effects and interactions of organic matter, inorganic fertilisers and dazomet on yield of potatoes and incidence of *Heterodera rostochiensis* - Woburn Long Mead.

Sponsor: A.G. Whitehead.

The first year, potatoes.

Design: 3 randomised blocks of 8 plots.

Whole plot dimensions: 2.84 x 6.10. Area harvested: 0.00087.

Treatments: All combinations of:-

1. Organic manures and fertilisers (T):
  - None (O)
  - Farmyard manure, 63.3 tonnes (12.6 tonnes D.M.) (D)
  - Peat, 36.2 tonnes (12.6 tonnes D.M.) + PK equivalent to that in farmyard manure (172 kg P2O5, 433 kg K2O) (P)
  - Fertiliser, PK equivalent to that in farmyard manure (172 kg P2O5, 433 kg K2O) (F)
2. Dazomet: 0, 340 kg. (DZ)

NOTE: It was intended to apply nitrogen, equivalent to that in farmyard manure to treatments (P) and (F). This application was omitted.

Basal applications: 1510 kg (13:13:20). Weedkiller: Chlorbromuron at 1.7 kg with paraquat at 0.24 kg ion in 370 l. Fungicide: Mancozeb at 1.3 kg in 430 l. Fungicide with insecticide: Mancozeb at 1.3 kg with demeton-s-methyl at 0.25 kg in 430 l.

Variety: Pentland Crown.

Cultivations, etc.: PK applied: 6 Oct, 1971. FYM, Peat applied, ploughed: 7-8 Oct. Dazomet applied, all plots rotary cultivated: 8 Dec. Ploughed: 29 Feb, 1972. Basal NPK applied: 30 Mar. Rotary cultivated, potatoes planted: 6 Apr. Weedkiller applied: 8 May. Fungicide applied: 5 July. Fungicide with insecticide applied: 26 July. Haulm mechanically destroyed: 14 Sept. Lifted: 22 Sept. Previous crops: Potatoes 1970 and 1971.

72/W/CS/89

NOTE: Soil samples were taken in November 1971, before dazomet applied, and after lifting in September for cyst and egg counts of *Heterodera rostochiensis*.

Standard error per plot.

Total tubers, tonnes/hectare: 3.05 or 10.6% (14 d.f.)

	0	1	2	3	4
(a)	0	0.8	1.6	2.4	3.2
(b)	0	0.8	1.6	2.4	3.2
(c)	0	0.8	1.6	2.4	3.2
(d)	0	0.8	1.6	2.4	3.2
(e)	0	0.8	1.6	2.4	3.2
(f)	0	0.8	1.6	2.4	3.2
(g)	0	0.8	1.6	2.4	3.2
(h)	0	0.8	1.6	2.4	3.2
(i)	0	0.8	1.6	2.4	3.2
(j)	0	0.8	1.6	2.4	3.2
(k)	0	0.8	1.6	2.4	3.2
(l)	0	0.8	1.6	2.4	3.2
(m)	0	0.8	1.6	2.4	3.2
(n)	0	0.8	1.6	2.4	3.2
(o)	0	0.8	1.6	2.4	3.2
(p)	0	0.8	1.6	2.4	3.2
(q)	0	0.8	1.6	2.4	3.2
(r)	0	0.8	1.6	2.4	3.2
(s)	0	0.8	1.6	2.4	3.2
(t)	0	0.8	1.6	2.4	3.2
(u)	0	0.8	1.6	2.4	3.2
(v)	0	0.8	1.6	2.4	3.2
(w)	0	0.8	1.6	2.4	3.2
(x)	0	0.8	1.6	2.4	3.2
(y)	0	0.8	1.6	2.4	3.2
(z)	0	0.8	1.6	2.4	3.2

72/W/CS/89

TABLES OF MEANS

T

	O	D	P	F	Mean
TOTAL TUBERS: TONNES/HECTARE					
DAZOMET: KG/HA					
0	18.3	21.4	19.4	20.6	19.9
340	37.1	36.7	36.5	40.4	37.7
Mean	27.7	29.0	28.0	30.5	28.8

STANDARD ERRORS OF DIFFERENCES

DAZOMET	T	DAZOMET T
1.24	1.76	2.49

PERCENTAGE WARE 3.81 CM (1.5 INCH) RIDDLE

DAZOMET: KG/HA					
0	85.3	92.3	87.9	90.3	88.9
340	94.1	94.8	94.7	95.6	94.8
Mean	89.7	93.5	91.3	92.9	91.9