

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1972

[Full Table of Content](#)



## 72/R/CS/90 Cultivations for Cereals - W. Wheat

### Rothamsted Research

Rothamsted Research (1973) *72/R/CS/90 Cultivations for Cereals - W. Wheat* ; Yields Of The Field Experiments 1972, pp 248 - 249 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/R/CS/90

CULTIVATIONS FOR CEREALS

Object: To study the engineering aspects - power requirements, rates of work, revenue and costs - of different tillage systems for wheat. Effects on weeds, soil pathogens and yield are also studied - Meadow.

Sponsors: D.E. Patterson (N.I.A.E.), J.R. Moffatt.

The first year, winter wheat.

Design: 3 randomised blocks of 10 plots.

Whole plot dimensions: 13.7 x 33.8. Area harvested: 0.01031.

Treatments: Tillage systems (TS):-

- Three passages of the tractor (three-pass system): Ploughed\* 20 cm deep (8 inches): spring-tine cultivated: drilled (1)
  - Four-pass system: Tine cultivated\* 15 cm deep (6 inches) twice: spring-tine cultivated: drilled (2)
  - Two-pass system: Ploughed\* 20 cm deep (8 inches): spiked rotary cultivated and drilled (3)
  - Two-pass system: Ploughed\* 10 cm deep (4 inches): spiked rotary cultivated and drilled (4)
  - Two-pass system: Tine cultivated\* 20 cm deep (8 inches): spiked rotary cultivated and drilled (5)
  - Two-pass system: Tine cultivated\* 10 cm deep (4 inches): spiked rotary cultivated and drilled (6)
  - One-pass system: Tine cultivated 18 cm deep (7 inches) and rotary cultivated and drilled (7)
  - One-pass system: Tine cultivated 15 cm deep (6 inches) and rotary harrowed and drilled (8)
  - Two-pass system: Ploughed\* 20 cm deep (8 inches): rotary harrowed and drilled (9)
  - Two-pass system: Cultivated by rotary digger\* 22 cm deep (8.5 inches): spiked rotary cultivated and drilled (10)
- All plots were disc drilled.

\* Cultivations done on 14 Sept, 1971. All others done on 21/22 Oct.

Basal applications: 250 kg (10:24:24) combine drilled. 410 kg 'Nitro-Chalk' 25% N. Weedkiller: Paraquat at 0.56 kg ion in 220 l.

72/R/CS/90

Seed: Joss Cambier sown at 180 kg.

Cultivations, etc.: Paraquat applied: 6 Oct, 1971. N applied:  
21 Apr, 1972. Combine harvested: 25 Aug. Previous crops:  
Barley 1970 and 1971.

NOTE: Observations and determinations were made as follows:

1. Soil: Mechanical soil analysis and profile descriptions, moisture determinations, bulk densities, photographs.
2. Implements: Depth and width of work, forward speed, wheel slip, draught, p.t.o. power, labour requirements.
3. Crop: Tiller counts, disease and weed assessments, grain size, aerial photographs.

Standard error per plot.

Grain, tonnes/hectare: 0.326 or 9.6% (18 d.f.)

TABLE OF MEANS

GRAIN: TONNES/HECTARE

TS

| 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   | Mean |
|------|------|------|------|------|------|------|------|------|------|------|
| 3.58 | 3.38 | 3.56 | 3.35 | 3.79 | 3.16 | 3.29 | 2.89 | 3.63 | 3.27 | 3.39 |

STANDARD ERROR OF DIFFERENCES

TS 0.266

Mean D.M. %: 85.0