

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1972

[Full Table of Content](#)



72/R/CS/93 and 72/W/CS/93 Rates of NPK Fertilisers - Potatoes

Rothamsted Research

Rothamsted Research (1973) *72/R/CS/93 and 72/W/CS/93 Rates of NPK Fertilisers - Potatoes* ; Yields Of The Field Experiments 1972, pp 250 - 253 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/R/CS/93 and 72/W/CS/93

RATES OF NPK FERTILISER

Object: To study the effects of a range of rates of compound NPK fertiliser on yields of potatoes - Rothamsted (R) Delafield and Woburn (W) Great Hill III.

Sponsor: F.V. Widdowson.

The first year, potatoes.

Design: 4 blocks of 8 plots, split into 2.

Whole plot dimensions: Delafield: 4.27 x 16.1. Great Hill III: 4.27 x 21.0.
Area harvested: Delafield (R): 0.00108, Great Hill III (W): 0.00143.

Treatments:-

Whole plots: All combinations of:-

1. Rates of compound fertiliser (13:13:20): 1250, 1880, 2500, 3130 kg.
2. Spacing: Seed potatoes: 30 cm (12 inches), 45 cm (18 inches) apart within the row.

Sub plots:

3. Varieties:-

Delafield (R): King Edward (KE), Pentland Crown (PC).
Great Hill III (W): Pentland Crown (PC), Record (R).

NOTE: All rows were spaced 71 cm (28 inches) apart.

Basal applications:-

Delafield (R): Weedkiller: Linuron at 0.84 kg with paraquat at 0.42 kg ion 1440 l. Fungicide: Mancozeb at 1.3 kg in 440 l. Fungicide with insecticide: Mancozeb at 1.3 kg plus demeton-s-methyl at 0.25 kg in 440 l.

Great Hill III (W): Farmyard manure at 23 tonnes. Weedkiller: Linuron at 1.1 kg with paraquat at 0.42 kg ion in 370 l. Fungicide: Mancozeb at 1.3 kg in 430 l. Fungicide with insecticide: Mancozeb at 1.3 kg plus demeton-s-methyl at 0.25 kg in 430 l.

Cultivations, etc.:

Delafield (R): Ploughed: 12 - 15 Oct, 1971. NPK applied: 24 Apr, 1972. Rotary cultivated twice, potatoes planted: 25 Apr. Weedkiller applied: 17 May. Fungicide applied: 11 July, 25 July, 11 Aug. Insecticide with fungicide applied: 25 July. Sprayed with undiluted BOV at 200 l: 16 - 20 Sept. Haulm destroyed mechanically: 7 Oct. Lifted: 9 Oct. Previous crops: Barley 1970, fallow 1971.

72/R/CS/93 and 72/W/CS/93

Great Hill III (W): Farmyard manure applied: 27 July - 6 Aug, 1971.
Ploughed: 9 - 12 Aug. Re-ploughed: 6 - 9 Nov. NPK applied:
6 Apr, 1972. Rotary cultivated twice, potatoes planted: 21 Apr.
Weedkiller applied: 11 May. Rotary ridged: 20 June. Fungicide
applied: 5 July. Fungicide with insecticide applied: 28 July.
Sprayed with undiluted BOV at 200 l: 5 Oct. Lifted: 16 - 17 Oct.
Previous crops: Barley 1970, grass 1971.

- NOTES: (1) The percentage of N, P and K in the tubers, and K and Mg in
the leaves were determined.
(2) Cooking tests were made on the ware potatoes.
(3) On Great Hill III Woburn the yields were adjusted for a linear
trend along the blocks.

Standard errors per plot. Total tubers: tonnes/hectare:
Delafield (R): Whole plot: 2.33 or 4.3% (21 d.f.)
Sub plot: 3.50 or 6.5% (24 d.f.)
Great Hill III (W): Whole plot: 5.98 or 14.7% (20 d.f.)
Sub plot: 3.99 or 9.8% (24 d.f.)

72/R/CS/93 and 72/W/CS/93

TABLES OF MEANS

DELAFIELD (R)

COMPOUND FERTILISER (13:13:20) KG/HA (F)

	1250	1880	2500	3130	Mean
TOTAL TUBERS: TONNES/HECTARE					
SPACING: CM					
30	47.6	54.5	58.5	56.6	54.3
45	50.1	52.5	56.4	57.1	54.0
VARIETY					
KE	48.7	52.4	56.6	55.1	53.2
PC	49.0	54.7	58.4	58.7	55.2
Mean	48.9	53.5	57.5	56.9	54.2

STANDARD ERRORS OF DIFFERENCES

F	SPACING	VARIETY	F	F	SPACING	F
			SPACING	VARIETY	VARIETY	SPACING
						VARIETY
1.16	0.82	0.87	1.65	1.70	1.20	2.40
Unless same levels of						
F				1.75		
S					1.24	
F.S						2.47

PERCENTAGE WARE: 4.44 CM (1.75 INCH) RIDDLE

SPACING: CM					
30	70.6	76.8	79.0	78.6	76.2
45	80.3	83.0	83.5	81.5	82.1
VARIETY					
KE	69.2	73.9	74.4	72.6	72.5
PC	81.6	85.9	88.1	87.5	85.8
Mean	75.4	79.9	81.2	80.0	79.1

72/R/CS/93 and 72/W/CS/93

GREAT HILL III (W)

COMPOUND FERTILISER (13:13:20) KG/HA (F)

	1250	1880	2500	3130	Mean
TOTAL TUBERS: TONNES/HECTARE					
SPACING: CM					
30	34.4	39.7	46.2	47.3	41.9
45	31.1	41.0	41.1	44.5	39.4
VARIETY					
PC	37.2	44.9	47.5	49.3	44.7
R	28.3	35.8	39.8	42.4	36.6
Mean	32.7	40.3	43.7	45.9	40.7

STANDARD ERRORS OF DIFFERENCES

F	SPACING	VARIETY	F SPACING	F VARIETY	SPACING VARIETY	F SPACING VARIETY
3.01	2.13	1.00	4.26	3.30	2.34	4.67
Unless same levels of						
F				2.00		
S					1.41	
F.S						2.82

PERCENTAGE WARE: 4.44 CM (1.75 INCH) RIDDLE

SPACING: CM					
30	70.0	76.9	83.0	85.5	78.8
45	73.6	82.0	85.4	87.8	82.2
VARIETY					
PC	83.3	87.5	91.0	91.1	88.2
R	60.3	71.3	77.5	82.1	72.8
Mean	71.8	79.4	84.2	86.6	80.5