

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1972

[Full Table of Content](#)



72/W/CS/99 Effect of Breaks on Take-all - Barley

Rothamsted Research

Rothamsted Research (1973) *72/W/CS/99 Effect of Breaks on Take-all - Barley* ; Yields Of The Field Experiments 1972, pp 256 - 257 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/W/CS/99

EFFECT OF BREAKS ON TAKE-ALL

Object: To study the phenomenon of 'take-all' (*Gaeumannomyces graminis*, formerly *Ophiobolus graminis*) decline in barley - Woburn Butt Furlong.

Sponsor: D. Hornby.

The first year, barley. Crop sequences 1 and 4 - 9.

Design: 2 blocks of 9 plots.

Whole plot dimensions: 5.33 x 15.2. Area harvested: 0.00429.

Treatments:-

Whole plots: Crop sequences (CS):-								
	1968-71	1972	1973	1974	1975	1976	1977	1978
1	B	B	B	B	B	B	B	B
2	B	F	B	B	B	B	B	B
3	B	F	Be	B	B	B	B	B
4	B	B	F	Be	B	B	B	B
5	B	B	B	F	Be	B	B	B
6	B	B	B	B	F	Be	B	B
7	B	B	B	B	B	F	Be	B
8	B	B	B	B	B	B	F	Be
9	B	B	B	B	B	B	B	F

B = Barley, BE = Spring beans, F = Fallow.

Basal applications:- 7.5 tonnes magnesian limestone, 500 kg (20:15:15) combine drilled. Weedkiller: Paraquat at 0.56 kg ion in 280 l, Ioxynil, bromoxynil, dichlorprop and MCPA ('Tetroxone' at 5.6 l in 280 l.)

Seed: Julia (seed dressed with ethirimol) sown at 160 kg.

Cultivations, etc.: Paraquat applied: 10 Sept, 1971. Ploughed: 27 Sept. Magnesian limestone applied: 4 Nov. Deep-tine cultivated: 5 Nov. Seed combine drilled: 15 Mar, 1972. 'Tetroxone' applied to barley plots: 3 May. Paraquat applied to fallow plots: 7 June. Combine harvested: 11 Aug.

NOTE: Soil samples were taken before sowing and after harvest, and plant samples in July for incidence of 'take-all' (*Gaeumannomyces graminis*).

Standard error per plot.

Grain, tonnes/hectare: 0.493 or 12.4% (6 d.f.)

72/W/CS/99

TABLE OF MEANS

GRAIN: TONNES/HECTARE

CS							
1	4	5	6	7	8	9	Mean
3.62	4.52	4.10	3.37	3.86	4.49	3.88	3.98

STANDARD ERROR OF DIFFERENCES

CS 0.493

Mean D.M. %: 87.2