

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1972

[Full Table of Content](#)



## Contents 1972 Classics, Rotations, Crop Sequences

### Rothamsted Research

Rothamsted Research (1973) *Contents 1972 Classics, Rotations, Crop Sequences ; Yields Of The Field Experiments 1972*, pp 3 - 6 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

| CONTENTS 1972                     |  | PAGE          |
|-----------------------------------|--|---------------|
| CONVENTIONS                       |  | 7             |
| EXPERIMENTS                       | CLASSICALS   |               |
| Broadbalk                         | Potatoes, beans, wheat                             | R/BK/1 9      |
| Hoosfield                         | Potatoes, beans, barley                            | R/HB/2 14     |
| Wheat and Fallow                  | Wheat  | R/WF/3 20     |
| Exhaustion Land                   | Barley   | R/EX/4 21     |
| Park Grass                        | Old grass  | R/PG/5 22     |
| Agdell                            | Potatoes, sugar beet, oats                         | R/AG/6 24     |
| Barnfield                         | Beans, barley, spring wheat.                       | R/BN/7 34     |
| Garden Clover                     | Clover   | R/GC/8 40     |
| Rotation I                        | Grass, lucerne                                     | S/RN/1 41     |
| Rotation II                       | Barley, potatoes, sugar beet                       | S/RN/2 45     |
|                                   | ROTATIONS  |               |
| Ley/Arable                        | Old grass, leys, sugar beet, barley, wheat         | R/RN/1&2 52   |
| Ley/Arable                        | Leys, potatoes, barley, wheat                      | W/RN/3 66     |
| Market Garden                     | Potatoes, sugar beet                               | W/RN/4 74     |
| Arable Reference Plots            | Old grass, barley, ley, potatoes, wheat, kale      | R/RN/5 79     |
| Arable Reference Plots            | Old grass, sugar beet, barley, ley, potatoes, oats | W/RN/6 83     |
| Residual Phosphate                | Potatoes, barley, swedes                           | R/RN/7 87     |
| Cultivation/<br>Weedkiller        | Beans, wheat, potatoes, barley                     | R/RN/8 92     |
| Cereal Disease<br>Reference Plots | Winter and spring wheat, oats, beans               | R/RN/9 99     |
| Irrigation                        | Kale, wheat  | R/RN/11 101   |
| Organic Manuring                  | Leys, rye, potatoes                                | W/RN/12 107   |
| Intensive Cereals                 | Leys, potatoes, wheat, barley                      | W/RN/13 114   |
| Long Term Phosphate               | Potatoes, sugar beet                               | W/RN/14 119   |
| Rotation and<br>Fumigation        | Potatoes, barley, sugar beet                       | W/RN/15 125   |
|                                   | CROP SEQUENCES                                     |               |
| Levels of N & K                   | Wheat  | R/CS/1 131    |
| Grazed Reference Plots            | Old grass  | R/CS/2 133    |
| Wheat after<br>Intensive Barley   | Wheat  | R/CS/6 135    |
| Long Term Liming                  | Barley   | R&W/CS/10 137 |
| Soil Structure                    | Barley   | W/CS/11 142   |
| N Levels to Old Grass             | Old grass  | R/CS/13 143   |

R = Rothamsted      W = Woburn      S = Saxmundham      BB = Broom's Barn

| CONTENTS 1972 (CONTD.)                      |                         | PAGE          |
|---|-------------------------|---------------|
|   | CROP SEQUENCES (contd.) |               |
| NPK to Old Grass                            | Old grass               | R/CS/14 147   |
| Irrigation and<br>Belworms                  | Potatoes                | W/CS/16 164   |
| Placement of Fumigant                       | Potatoes                | W/CS/20 170   |
| PK & Take-All                               | Barley                  | R/CS/24 172   |
| Rates of Nematicides<br>Dosage              | Potatoes                | W/CS/33 176   |
| Nematicides in Crop<br>Sequence             | Potatoes, sugar beet    | W/CS/34 179   |
| Nematicides Dosage                          | Potatoes                | W/CS/35 184   |
| Cultivations & Soil<br>Invertebrates        | Old grass, new grass    | R/CS/41 187   |
| Effects of Inverte-<br>brates on Yield      | Old grass               | R/CS/42 189   |
| Break Crops & Wheat                         | Barley                  | R/CS/44 192   |
| Fumigant & N                                | Winter and spring wheat | R/W/CS/49 194 |
| Fumigants, Temik & N                        | Spring wheat            | W/CS/52 198   |
| Fumigation & N                              | Beans                   | W/CS/55 202   |
| Nematodes &<br>Verticillium                 | Wheat                   | W/CS/56 204   |
| Crop Sequences &<br>Take-All                | Spring wheat            | R/CS/58 206   |
| Break Crops & Wheat                         | Barley                  | R/CS/59 208   |
| Fungicides                                  | Old grass               | R/CS/61 211   |
| Nematodes &<br>Verticillium                 | Wheat                   | W/CS/63 216   |
| Fumigants &<br>Ditylenchus                  | Onions                  | W/CS/64 218   |
| Dazomet & Nitrogen                          | Maize                   | W/CS/66 219   |
| Break Crops & Wheat                         | Wheat                   | R/CS/74 220   |
| Rates of NPK Fertiliser                     | Wheat                   | R/W/CS/76 222 |
| Much Fertiliser & FYM                       | Wheat                   | W/CS/77 226   |
| Nematodes &<br>Verticillium                 | Potatoes                | W/CS/78 229   |
| Chemicals & Scab                            | Potatoes                | W/CS/79 231   |
| Chemical Control of<br>Soil-borne Pathogens | Beans                   | R/CS/82 233   |
| Weedkiller & Aqueous N                      | Old grass               | R/CS/86 235   |
| Fertiliser & FYM                            | Potatoes                | R/W/CS/88 239 |
| Dazomet & Organic<br>Matter                 | Potatoes                | W/CS/89 245   |
| Cultivations for<br>Cereals                 | Wheat                   | R/CS/90 248   |
| Rates of NPK<br>Fertiliser                  | Potatoes                | R/W/CS/93 250 |
| Control of Pests &<br>Diseases              | Beans                   | R/CS/95 254   |

| CONTENTS 1972 (CONTD.)                               |           | PAGE          |
|--|-----------|---------------|
| CROP SEQUENCES (contd.)                              |           |               |
| Effects of Breaks on<br>Take-All                     | Barley    | W/CS/99 256   |
| Effects of Nematodes<br>Nematicides &<br>Ditylenchus | Old grass | W/CS/101 258  |
| Simazine Rates &<br>Soil Types                       | Onions    | R/CS/102 260  |
| Row Spacing & Seed<br>Rates                          | Beans     | W/CS/103 262  |
|  | Wheat     | S/CS/1 267    |
| ANNUALS  |           |               |
| WINTER WHEAT   |           |               |
| Varieties & N  |           | R&W/WW/1 270  |
| Weedkiller & Aqueous N                               |           | R/WW/2 274    |
| Weedkiller, Aqueous N & Fungicide                    |           | R/WW/3 277    |
| EWSM Spread by Infected Vectors                      |           | R/WW/4 280    |
| Growth & Yield on Contrasted Sites                   |           | R&BB/WW/6 282 |
| Methods of Applying Fungicides                       |           | R/WW/7 286    |
| Varieties, Sowing Dates & Bulb Fly                   |           | R/WW/8 288    |
| Effects of Blue/Green Algae                          |           | R/WW/12 290   |
| SPRING WHEAT   |           |               |
| Effects of Gaps                                      |           | R/WS/2 293    |
| N Levels & Physiology                                |           | R/WS/3 295    |
| Dwarf Varieties, N & CCC                             |           | R/WS/4 297    |
| BARLEY   |           |               |
| Growth & Yield on Contrasted Sites                   |           | R&BB/B/1 299  |
| Varieties & N  |           | R&W/B/2 303   |
| Weedkiller & Aqueous N                               |           | R/B/3 306     |
| Times of Applying Fungicides                         |           | R/B/4 309     |
| Control of Cereal Aphids & BYDV                      |           | R/B/5 311     |
| Early & Late Mildew                                  |           | R/B/6 313     |
| Fungicides   |           | R/B/9 315     |
| Methods of Applying Phenylphosphonic Acid            |           | R/B/10 317    |
| Varieties, PPA, Rates & Times of N                   |           | S/B/1 320     |
| BEANS  |           |               |
| Effects of Mass Selection                            |           | R/BE/1 323    |
| Varieties & Viruses                                  |           | R/BE/2 325    |
| Control of Pests & Diseases                          |           | R/BE/3 327    |
| Effects of Aphids                                    |           | R/BE/4 329    |
| Effects of Heat Treatment                            |           | R/BE/6 331    |

| CONTENTS 1972 (CONTD.)                                  |         | PAGE |
|---|---------|------|
| BEANS (contd.)  |         |      |
| N, Carbohydrate & Irrigation                            | R/BE/8  | 334  |
| Roguing & Viruses                                       | R/BE/9  | 336  |
| POTATOES  |         |      |
| Spacing, Seed Size & Fertiliser                         | R/P/1   | 338  |
| Formalin & Potato Cyst Nematode                         | W/P/1   | 342  |
| Seed Stocks, Diseases & Fungicides                      | R&W/P/2 | 344  |
| Blight & Aphid Reference Plots                          | R/P/3   | 350  |
| Sprays & Scab Control                                   | W/P/3   | 353  |
| Seed Sources  | R/P/5   | 355  |
| SUGAR BEET  |         |      |
| Effects of Collembola on Seedlings                      | R/SB/1  | 358  |
| MIXED CROPS   |         |      |
| Control of Frit Fly for Maize and Sweet Corn            | R/M/5   | 360  |
| MISCELLANEOUS DATA                                      |         |      |
| Meteorological Records, Rothamsted, Woburn & Saxmundham | E/1     | 368  |
| CONVERSION FACTORS                                      |         |      |