

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1972

[Full Table of Content](#)



## 72/R/B/9 Barley Fungicides

### Rothamsted Research

Rothamsted Research (1973) *72/R/B/9 Barley Fungicides* ; Yields Of The Field Experiments 1972, pp 315 - 316 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/R/B/9

BARLEY

FUNGICIDES

Object: To study the effects of three fungicides applied as seed dressings and one as a spray on yields and pathogens of barley - West Barnfield II.

Sponsors: J. Jenkyn, R.D. Prew.

Design: 3 randomised blocks of 5 plots.

Whole plot dimensions: 2.13 x 13.4. Area harvested: 0.00195.

Treatments: Fungicide (F)

None

(O)

Seed dressings: Organo-mercury at 350 g

(M)

'Vitavax' plus thiram at 350 g

(V)

BAS 3302 at 314 g

(BB)

Spray: BAS 3170F at 1.12 kg a.i. in 674 l

(BA)

Rates given for seed dressings are of commercial formulations.

Basal applications: 500 kg (20:10:10) combine drilled. Weedkillers:

Paraquat at 0.42 kg ion in 220 l on 2 occasions. Ioxynil, bromoxynil, 2,4-DP and MCPA ('Tetroxone' at 5.6 l in 220 l).

Seed: Sultan (infected with loose smut, undressed apart from treatments) sown at 160 kg.

Cultivations, etc.: - Paraquat applied: 24 and 30 Sept, 1971. Ploughed: 12 Nov. Seed combine drilled: 24 Mar, 1972. 'Tetroxone' applied: 8 May. BAS 3170F applied: 23 June. Combine harvested: 22 Aug. Previous crops: Winter wheat 1970, barley 1971.

NOTE: Seedling emergence counts were made, and samples taken for root diseases in May and July. Mildew (*Erysiphe graminis*) was assessed in mid-June and late July and loose smut (*Ustilago nuda*) and brown rust (*Puccinia hordei*) in July.

Standard error per plot.

Grain, tonnes/hectare: 0.190 or 4.2% (8 d.f.)

72/R/B/9

TABLE OF MEANS

GRAIN: TONNES/HECTARE

F					
O	M	V	BB	BA	Mean
4.56	4.29	4.57	4.66	4.62	4.54

STANDARD ERROR OF DIFFERENCES

F 0.155

Mean D.M. %: 86.2