

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1972

[Full Table of Content](#)



### 72/R/BE/1 Spring Beans Effects of Mass Selection

#### Rothamsted Research

Rothamsted Research (1973) *72/R/BE/1 Spring Beans Effects of Mass Selection ; Yields Of The Field Experiments 1972*, pp 323 - 324 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/R/BE/1

SPRING BEANS

EFFECTS OF MASS SELECTION

Object: To study the effects on yield of mass selecting a population of beans on the basis of number of pods per stem - Long Hoos V 5.

Sponsor: J. McEwen.

Design: 6 randomised blocks of 5 plots.

Whole plot dimensions: 2.03 x 4.27. Area harvested: 0.00019.

Treatments (T): Unselected (0) and mass selections from 1971 crop on the basis of number of pods per stem at harvest 1971:-

Pods per stem:-	1 - 4	(1)
	5 - 8	(5)
	9 - 12	(9)
	More than 12	(13)

Basal applications: 1570 kg (0:14:28). Weedkiller: Simazine at 0.84 kg in 340 l. Insecticide: Demeton-s-methyl at 0.25 kg in 340 l and later at 1.0 kg in 340 l.

Seed: Maris Bead sown at 170 kg.

Cultivations, etc.: Basal PK applied: 30 Sept, 1971. Ploughed: 6 Oct. Rotary cultivated: 16 Mar, 1972. Seed drilled: 17 Mar. Weedkiller applied: 21 Mar. Insecticide applied: 26 June and 19 July. Hand harvested: 29 Sept. Previous crops: Barley 1970, fallow 1971.

NOTE: Counts were made of number of stems and pods. 1000 grain weights were measured.

Standard error per plot.

Grain, tonnes/hectare: 0.479 or 9.7% (20 d.f.)

72/R/BE/1

TABLE OF MEANS

GRAIN: TONNES/HECTARE

T					
0	1	5	9	13	Mean
4.85	4.97	5.06	4.77	5.03	4.94

STANDARD ERROR OF DIFFERENCES

T 0.277

Mean D.M. %: 81.5